

The CONTENTS Procedure

Directory

Libref IN
Engine V9
Physical Name REACT\7. Limited Access Datasets
File Name REACT\7. Limited Access Datasets

#	Name	Member		
		Type	File Size	Last Modified
1	EDLOG	DATA	3007488	18NOV2005:08:58:52
2	ED_ABSTRACTS	DATA	18514944	18NOV2005:09:01:36
3	ED_SURVEYS	DATA	5669888	18NOV2005:13:09:22
4	IP_ABSTRACTS	DATA	15107072	18NOV2005:09:03:14
5	IP_SURVEYS	DATA	8733696	18NOV2005:12:54:22
6	LOCATOR	DATA	3777536	18NOV2005:09:00:38
7	RDD_SURVEYS	DATA	10322944	18NOV2005:09:07:46
8	REACTFMTS	CATALOG	54272	20DEC2005:11:42:24

The CONTENTS Procedure

Data Set Name	IN.EDLOG	Observations	92404
Member Type	DATA	Variables	7
Engine	V9	Indexes	0
Created	8:58 Friday, November 18, 2005	Observation Length	32
Last Modified	8:58 Friday, November 18, 2005	Deleted Observations	0
Protection		Compressed	NO
Data Set Type		Sorted	YES
Label			
Data Representation	WINDOWS		
Encoding	wlatin1 Western (Windows)		

Engine/Host Dependent Information

Data Set Page Size	4096
Number of Data Set Pages	734
First Data Page	1
Max Obs per Page	126
Obs in First Data Page	67
Number of Data Set Repairs	0
File Name	REACT\7. Limited Access Datasets\edlog.sas7bdat
Release Created	9.0101M0
Host Created	XP_PRO

Alphabetic List of Variables and Attributes

#	Variable	Type	Len	Format	Label
6	ADMITTED	Num	8	STAT.	Admission Status
4	COMMUNITY	Char	2		'De-identified' Community ID
7	DIAGNOSI	Num	8	DIAG.	Admission Diagnosis
5	GROUP	Char	1		I=intervention community, C=control community
3	PAIR	Char	2		'De-identified' Pair Number
2	SITE	Char	1		'De-identified' Site ID
1	SUBJECT_ID	Char	10		'De-identified' Subject ID number

Sort Information

Sortedby	SUBJECT_ID
Validated	YES
Character Set	ANSI

The CONTENTS Procedure

Data Set Name	IN.ED_ABSTRACTS	Observations	36128
Member Type	DATA	Variables	65
Engine	V9	Indexes	0
Created	9:01 Friday, November 18, 2005	Observation Length	496
Last Modified	9:01 Friday, November 18, 2005	Deleted Observations	0
Protection		Compressed	NO
Data Set Type		Sorted	YES
Label			
Data Representation	WINDOWS		
Encoding	wlatin1 Western (Windows)		

Engine/Host Dependent Information

Data Set Page Size	16384
Number of Data Set Pages	1130
First Data Page	1
Max Obs per Page	32
Obs in First Data Page	10
Number of Data Set Repairs	0
File Name	REACT\7. Limited Access Datasets\ed_abstracts.sas7bdat
Release Created	9.0101M0
Host Created	XP_PRO

Alphabetic List of Variables and Attributes

#	Variable	Type	Len	Format	Label
4	COMMUNITY	Char	2		'De-identified' Community ID
16	DBP	Num	8		C8b. Initial Diastolic BP in ED (mm HG)
8	EMPLOYMT	Num	8	EMPLOY.	B1. Employment status
5	GROUP	Char	1		I=intervention community, C=control community
11	HMOGRP	Num	8	YN12_.	B3. Insurance type: HMO/Group
17	HRTRATE	Num	8		C9. Initial Heart Rate in ED (beats/min)
9	MARITAL	Num	8	MARITAL.	B2. Marital status
36	NDYSPNEA	Num	8	YN12_.	D2r. Presenting symptoms (nurse): Shortness of breath/Dyspnea
10	NONHMO	Num	8	YN12_.	B3. Insurance type: commercial/indemnity/PPO (non-HMO)
19	N_ABPAIN	Num	8	YN12_.	D2a. Presenting symptoms (nurse): Abdominal Pain
34	N_ARMN	Num	8	YN12_.	D2p. Presenting symptoms (nurse): Numbness/tingling Arm/Hand
20	N_ARMP	Num	8	YN12_.	D2b. Presenting symptoms (nurse): Arm/Shoulder Pain
21	N_BACK	Num	8	YN12_.	D2c. Presenting symptoms (nurse): Back Pain
25	N_CHDISC	Num	8	YN12_.	D2g. Presenting symptoms (nurse): Chest Discomfort
22	N_CHPAIN	Num	8	YN12_.	D2d. Presenting symptoms (nurse): Chest Pain
23	N_CHPRES	Num	8	YN12_.	D2e. Presenting symptoms (nurse): Chest Pressure
24	N_CHTIGH	Num	8	YN12_.	D2f. Presenting symptoms (nurse): Chest Tightness
26	N_COUGH	Num	8	YN12_.	D2h. Presenting symptoms (nurse): Cough
27	N_DIZZY	Num	8	YN12_.	D2i. Presenting symptoms (nurse): Dizziness/lightheadedness
28	N_HEAD	Num	8	YN12_.	D2j. Presenting symptoms (nurse): Headache
29	N_INDIG	Num	8	YN12_.	D2k. Presenting symptoms (nurse): Indigestion
30	N_JAW	Num	8	YN12_.	D2l. Presenting symptoms (nurse): Jaw Pain

32	N_NAUSEA	Num	8	YN12_.	D2n. Presenting symptoms (nurse): Nausea
33	N_NECK	Num	8	YN12_.	D2o. Presenting symptoms (nurse): Neck Pain
40	N_OTHER	Num	8	YN12_.	D2v. Presenting symptoms (nurse): Other
35	N_PALP	Num	8	YN12_.	D2q. Presenting symptoms (nurse): Palpitations/rapid heart rate
18	N_SOURCE	Num	8	AVAIL.	D1. Availability of presenting symptoms from ED Nurse's Notes

The CONTENTS Procedure

Alphabetic List of Variables and Attributes

#	Variable	Type	Len	Format	Label
37	N_SWEAT	Num	8	YN12_.	D2s. Presenting symptoms (nurse): Sweating/diaphoresis
31	N_UNCONS	Num	8	YN12_.	D2m. Presenting symptoms (nurse): Loss of Conscious
38	N_VOMIT	Num	8	YN12_.	D2t. Presenting symptoms (nurse): Vomiting
39	N_WEAK	Num	8	YN12_.	D2u. Presenting symptoms (nurse): Weakness/Fatigue/faintness
3	PAIR	Char	2		'De-identified' Pair Number
60	PDYSPNEA	Num	8	YN12_.	D6r. Presenting symptoms (physician): Shortness of breath/Dyspnea
43	P_ABPAIN	Num	8	YN12_.	D6a. Presenting symptoms (physician): Abdominal Pain
58	P_ARMN	Num	8	YN12_.	D6p. Presenting symptoms (physician): Numbness/tingling Arm/Hand
44	P_ARMP	Num	8	YN12_.	D6b. Presenting symptoms (physician): Arm/Shoulder Pain
45	P_BACK	Num	8	YN12_.	D6c. Presenting symptoms (physician): Back Pain
49	P_CHDISC	Num	8	YN12_.	D6g. Presenting symptoms (physician): Chest Discomfort
46	P_CHPAIN	Num	8	YN12_.	D6d. Presenting symptoms (physician): Chest Pain
47	P_CHPRES	Num	8	YN12_.	D6e. Presenting symptoms (physician): Chest Pressure
48	P_CHTIGH	Num	8	YN12_.	D6f. Presenting symptoms (physician): Chest Tightness
50	P_COUGH	Num	8	YN12_.	D6h. Presenting symptoms (physician): Cough
51	P_DIZZY	Num	8	YN12_.	D6i. Presenting symptoms (physician): Dizziness/lightheadedness
52	P_HEAD	Num	8	YN12_.	D6j. Presenting symptoms (physician): Headache
53	P_INDIG	Num	8	YN12_.	D6k. Presenting symptoms (physician): Indigestion
54	P_JAW	Num	8	YN12_.	D6l. Presenting symptoms (physician): Jaw Pain
56	P_NAUSEA	Num	8	YN12_.	D6n. Presenting symptoms (physician): Nausea
57	P_NECK	Num	8	YN12_.	D6o. Presenting symptoms (physician): Neck Pain
64	P_OTHER	Num	8	YN12_.	D6v. Presenting symptoms (physician): Other
59	P_PALP	Num	8	YN12_.	D6q. Presenting symptoms (physician): Palpitations/rapid heart rate
42	P_SOURCE	Num	8	AVAIL.	D6. Availability of presenting symptoms from ED Physician's Notes
61	P_SWEAT	Num	8	YN12_.	D6s. Presenting symptoms (physician): Sweating/diaphoresis
55	P_UNCONS	Num	8	YN12_.	D6m. Presenting symptoms (physician): Loss of Conscious
62	P_VOMIT	Num	8	YN12_.	D6t. Presenting symptoms (physician): Vomiting
63	P_WEAK	Num	8	YN12_.	D6u. Presenting symptoms (physician): Weakness/Fatigue/faintness
15	SBP	Num	8		C8a. Initial Systolic BP in ED (mm HG)
2	SITE	Char	1		'De-identified' Site ID
7	SOURCE	Num	8	SOURCE.	A6. Source of patient sample
1	SUBJECT_ID	Char	10		'De-identified' Subject ID number
41	edn_delay	Num	8	DELAY.	<D3-D4 Surrogate> Hours from symptom onset until ED arrival (EDA nurse's note)
65	edp_delay	Num	8	DELAY.	<D7-D8 Surrogate> Hours from symptom onset until ED arrival (EDA physician's note)
14	ems2scene	Num	8		<C5-C7 Surrogate> Minutes from placing EMS call until arrival on the scene
12	govt_ins	Num	8	YN12_.	<B3 Surrogate> Insurance type: Medicaid, medicare, state, county, or military
6	phase	Num	8	PHASE.	<created var> 1=Baseline 2=Follow-up
13	transport	Num	8	TRANS.	<C3 Surrogate> Mode of transport to ED: ambulance/helicopter vs other

Sort Information

Sortedby SUBJECT_ID
 Validated YES
 Character Set ANSI

The CONTENTS Procedure

Data Set Name	IN.ED_SURVEYS	Observations	2404
Member Type	DATA	Variables	274
Engine	V9	Indexes	0
Created	13:09 Friday, November 18, 2005	Observation Length	2168
Last Modified	13:09 Friday, November 18, 2005	Deleted Observations	0
Protection		Compressed	NO
Data Set Type		Sorted	YES
Label			
Data Representation	WINDOWS		
Encoding	wlatin1 Western (Windows)		

Engine/Host Dependent Information

Data Set Page Size	16384
Number of Data Set Pages	346
First Data Page	3
Max Obs per Page	7
Obs in First Data Page	3
Number of Data Set Repairs	0
File Name	REACT\7. Limited Access Datasets\ed_surveys.sas7bdat
Release Created	9.0101M0
Host Created	XP_PRO

Alphabetic List of Variables and Attributes

#	Variable	Type	Len	Format	Label
29	A1_OTHER	Num	8	YN21_.	A1w. Symptom prompting ED visit: other
53	A3_OTHER	Num	8	YN21_.	A3x. Before leaving for ED: other
66	A4_OTHER	Num	8	YN21_.	A4m. Attributed cause to: other
92	A5A_OTHER	Num	8	YN21_.	A5m.a. Decision to go to ER: other
93	A5B_OTHER	Num	8	YN21_.	A5m.b. Encouraged to go to ER: other
100	A6_OTHER	Num	8	YN21_.	A6c.e. Reason didn't call 911: other
46	ACCEPTED	Num	8	YN21_.	A3q. Before leaving for ED: accepted symptom
146	ADVICE	Num	8	YN21_.	C2.1. Advice to manage symptoms: none
147	ADVICE2	Num	8	YN21_.	C2.2. Advice to manage symptoms: see personal doctor
149	ADVICE3	Num	8	YN21_.	C2.3. Advice to manage symptoms: take meds
151	ADVICE4	Num	8	YN21_.	C2.4. Advice to manage symptoms: rest
153	ADVICE5	Num	8	YN21_.	C2.5. Advice to manage symptoms: other
30	ALCOHOL	Num	8	YN21_.	A3a. Before leaving for ED: drink alcohol
264	ALERT	Num	8	YN21_.	K1d3. Do you recognize the name: Heart Alert?
67	ALONE	Num	8	YN21_.	A5. Were you alone when decision made to go to ER?
265	AMB_PAID	Num	8	YN21_.	M8a. Insurance pays at least some of ambulance service
54	ANGINA1	Num	8	YN21_.	A4a. Attributed cause to: angina
131	ANGINA2	Num	8	YN21_.	C1a. Reason reported for symptoms: angina
31	ANTACID	Num	8	YN21_.	A3b. Before leaving for ED: take antacid
55	ANXIETY1	Num	8	YN21_.	A4b. Attributed cause to: anxiety
133	ANXIETY2	Num	8	YN21_.	C1c. Reason reported for symptoms: anxiety
56	ARTHRIT1	Num	8	YN21_.	A4c. Attributed cause to: arthritis

132	ARTHRIT2	Num	8	YN21_.	C1b. Reason reported for symptoms: arthritis
32	ASPIRIN	Num	8	YN21_.	A3c. Before leaving for ED: take aspirin
7	A_ABPAIN	Num	8	YN21_.	A1a. Symptom prompting ED visit: abdominal pain
24	A_ARMN	Num	8	YN21_.	A1r. Symptom prompting ED visit: tingling arm/hand
8	A_ARMP	Num	8	YN21_.	A1b. Symptom prompting ED visit: arm/shoulder pain

The CONTENTS Procedure

Alphabetic List of Variables and Attributes

#	Variable	Type	Len	Format	Label
9	A_BACK	Num	8	YN21_.	A1c. Symptom prompting ED visit: back pain
26	A_BREATH	Num	8	YN21_.	A1t. Symptom prompting ED visit: difficult breathing
13	A_CHDISC	Num	8	YN21_.	A1g. Symptom prompting ED visit: chest discomfort
10	A_CHPAIN	Num	8	YN21_.	A1d. Symptom prompting ED visit: chest pain
11	A_CHPRES	Num	8	YN21_.	A1e. Symptom prompting ED visit: chest pressure
12	A_CHTIGH	Num	8	YN21_.	A1f. Symptom prompting ED visit: chest tightness
14	A_COUGH	Num	8	YN21_.	A1h. Symptom prompting ED visit: cough
15	A_DIZZY	Num	8	YN21_.	A1i. Symptom prompting ED visit: dizzy/lightheaded
19	A_DOOM	Num	8	YN21_.	A1m. Symptom prompting ED visit: impending doom
21	A_FAINT	Num	8	YN21_.	A1o. Symptom prompting ED visit: fainting
17	A_HEAD	Num	8	YN21_.	A1k. Symptom prompting ED visit: headache
18	A_INDIG	Num	8	YN21_.	A1l. Symptom prompting ED visit: heartburn/indigestion
20	A_JAW	Num	8	YN21_.	A1n. Symptom prompting ED visit: jaw pain
16	A_LOUSY	Num	8	YN21_.	A1j. Symptom prompting ED visit: feel lousy/blah
22	A_NAUSEA	Num	8	YN21_.	A1p. Symptom prompting ED visit: nausea/vomiting
23	A_NECK	Num	8	YN21_.	A1q. Symptom prompting ED visit: neck pain
25	A_PALP	Num	8	YN21_.	A1s. Symptom prompting ED visit: palpitations
27	A_SWEAT	Num	8	YN21_.	A1u. Symptom prompting ED visit: sweating
28	A_WEAK	Num	8	YN21_.	A1v. Symptom prompting ED visit: weak/fatigue/faint
113	B1_OTHER	Num	8	YN21_.	B1a.k. Why go quickly to ED: other
130	B2_OTHER	Num	8	YN21_.	B2a.p. Why wait to go to ED: other
203	BE_EMBAR	Num	8	BELIEF.	I2. Agreement scale: Embarrassed at ED if not a heart attack
236	BILLBOAR	Num	8	YN21_.	K1a1. Heard of early action program from: billboards
233	BLACK	Num	8	TF.	J2d. True/false: Younger blacks at greater risk (true)
237	BOOK	Num	8	YN21_.	K1a2. Heard of early action program from: book
57	BREATH1	Num	8	YN21_.	A4d. Attributed cause to: lungs/breathing
134	BREATH2	Num	8	YN21_.	C1d. Reason reported for symptoms: lungs/breathing
145	C1_OTHER	Num	8	YN21_.	C1o. Reason reported for symptoms: other
162	C3_OTHER	Num	8	YN21_.	C3.7. Action if symptoms recur: other
94	CALL911	Num	8	YN21_.	A6. Did you or someone else call 911/ambulance?
156	CALL911B	Num	8	YN21_.	C3.1. Action if symptoms recur: call 911
44	CALLPLAN	Num	8	YN21_.	A3o. Before leaving for ED: called health care plan
43	CALL_DR	Num	8	YN21_.	A3n. Before leaving for ED: called doctor
158	CALL_DR2	Num	8	YN21_.	C3.3. Action if symptoms recur: call your doctor
157	CALL_ED	Num	8	YN21_.	C3.2. Action if symptoms recur: call ED/hospital
235	CAMPAIGN	Num	8	YN21_.	K1. Awareness of early action campaigns?
268	CARD6MOS	Num	8	YN21_.	M10a. Saw cardiologist 6 mos prior to ED visit?
238	CHURCH	Num	8	YN21_.	K1a3. Heard of early action program from: church
239	CIVICORG	Num	8	YN21_.	K1a4. Heard of early action program from: civic org.
269	COMFORT	Num	8	COMFORT.	O1. Comfort level of respondent
262	COMMIT	Num	8	YN21_.	K1d1. Do you recognize the name: COMMIT?
4	COMMUNITY	Char	2		'De-identified' Community ID
192	CONSULT	Num	8	YN21_.	G1a2. In the future, will: consult with doctor
270	COOPERAT	Num	8	COOP.	O2. Degree of cooperation from respondent
96	COST	Num	8	YN21_.	A6c.a. Reason didn't call 911: cost/not insured
36	COWORKER	Num	8	YN21_.	A3g. Before leaving for ED: talk w/ coworker
193	DELAY_ER	Num	8	YN21_.	G1a3. In the future, will: delay going to ED

164	DIDRIGHT	Num	8	BELIEF.	D1. Looking back: Did the right thing going to the ED
48	DISENGAG	Num	8	YN21_.	A3s. Before leaving for ED: disengaged self
190	DODIFFER	Num	8	YN21_.	G1. In the future, would you do anything differently?
159	DONTKNOW	Num	8	YN21_.	C3.4. Action if symptoms recur: don't know
267	DRPASTYR	Num	8	YN21_.	M9a. Visited your doctor in the past year?

The CONTENTS Procedure

Alphabetic List of Variables and Attributes

#	Variable	Type	Len	Format	Label
232	DRUGS	Num	8	TF.	J2c. True/false: Hospitals have drugs to reduce damage (true)
68	D_ACQUAI	Num	8	YN21_.	A5a.a. Decision to go to ER: casual acquaintance
70	D_COWORK	Num	8	YN21_.	A5b.a. Decision to go to ER: co-worker
78	D_FAMILY	Num	8	YN21_.	A5f.a. Decision to go to ER: other family
72	D_HOSP	Num	8	YN21_.	A5c.a. Decision to go to ER: hospital personnel
80	D_MEDICS	Num	8	YN21_.	A5g.a. Decision to go to ER: paramedics
74	D_NEIGHB	Num	8	YN21_.	A5d.a. Decision to go to ER: neighbor
76	D_NOBODY	Num	8	YN21_.	A5e.a. Decision to go to ER: nobody
82	D_PHYS	Num	8	YN21_.	A5h.a. Decision to go to ER: physician
90	D_SELF	Num	8	YN21_.	A5l.a. Decision to go to ER: yourself
86	D_SPOUSE	Num	8	YN21_.	A5j.a. Decision to go to ER: spouse
84	D_STAFF	Num	8	YN21_.	A5i.a. Decision to go to ER: physician's office staff
88	D_STRANG	Num	8	YN21_.	A5k.a. Decision to go to ER: stranger
266	ED_PAID	Num	8	YN21_.	M8b. Insurance pays at least some of ED visits
261	EFFECT1	Num	8	YN21_.	K1c. Program affected decision to go to ED?
98	EMBAR911	Num	8	YN21_.	A6c.c. Reason didn't call 911: embarrassed to call
166	EMBARRAS	Num	8	BELIEF.	D3. Looking back: Embarrassed -- not a heart attack
191	ERSOONER	Num	8	YN21_.	G1a1. In the future, will: go to ED sooner
171	EVERPLAN	Num	8	YN21_.	F1. Before recent ED visit: Ever discuss what to do?
64	EXERT1	Num	8	YN21_.	A4k. Attributed cause to: overexertion
168	EXPLCAUS	Num	8	EXPL.	E1. How was explanation of what caused problems?
169	EXPLRESP	Num	8	EXPL.	E2. How was explanation of what was done for you?
170	EXPLTODO	Num	8	EXPL.	E3. How was explanation of what to do if symptoms return?
69	E_ACQUAI	Num	8	YN21_.	A5a.b. Encouraged to go to ER: acquaintance
71	E_COWORK	Num	8	YN21_.	A5b.b. Encouraged to go to ER: co-worker
79	E_FAMILY	Num	8	YN21_.	A5f.b. Encouraged to go to ER: other family
73	E_HOSP	Num	8	YN21_.	A5c.b. Encouraged to go to ER: hospital personnel
81	E_MEDICS	Num	8	YN21_.	A5g.b. Encouraged to go to ER: paramedics
75	E_NEIGHB	Num	8	YN21_.	A5d.b. Encouraged to go to ER: neighbor
77	E_NOBODY	Num	8	YN21_.	A5e.b. Encouraged to go to ER: nobody
83	E_PHYS	Num	8	YN21_.	A5h.b. Encouraged to go to ER: physician
91	E_SELF	Num	8	YN21_.	A5l.b. Encouraged to go to ER: yourself
87	E_SPOUSE	Num	8	YN21_.	A5j.b. Encouraged to go to ER: spouse
85	E_STAFF	Num	8	YN21_.	A5i.b. Encouraged to go to ER: physician's office staff
89	E_STRANG	Num	8	YN21_.	A5k.b. Encouraged to go to ER: stranger
188	F1A_OTHER	Num	8	YN21_.	F1a9. Discussed plan with: other
189	F1B_OTHER	Num	8	YN21_.	F1b9. Planned 6-mos prior with: other
38	FAMILY	Num	8	YN21_.	A3i. Before leaving for ED: talk w/ family
97	FASTER	Num	8	YN21_.	A6c.b. Reason didn't call 911: faster alternative
59	FLU1	Num	8	YN21_.	A4f. Attributed cause to: flu/cold
137	FLU2	Num	8	YN21_.	C1g. Reason reported for symptoms: flu/cold
148	FOLLOW_2	Num	8	YN21_.	C2a2. Did you follow advice to see personal DR?
150	FOLLOW_3	Num	8	YN21_.	C2a3. Did you follow advice to take your meds?
152	FOLLOW_4	Num	8	YN21_.	C2a4. Did you follow advice to rest?
154	FOLLOW_5	Num	8	YN21_.	C2a5. Did you follow other advice?
39	FRIEND	Num	8	YN21_.	A3j. Before leaving for ED: talk w/ friend
102	GOQUICK	Num	8	YN21_.	B1. Factors causing to go quickly to hospital

160	GOTO_ED	Num	8	YN21_.	C3.5. Action if symptoms recur: go to the ED
5	GROUP	Char	1		I=intervention community, C=control community
234	HISPANIC	Num	8	TF.	J2e. True/false: Younger hispanics at greater risk (false)
249	HLTH_ORG	Num	8	YN21_.	K1a14. Heard of early action program from: health org.
248	HLTH_PRO	Num	8	YN21_.	K1a13. Heard of early action program from: health professional

The CONTENTS Procedure

Alphabetic List of Variables and Attributes

#	Variable	Type	Len	Format	Label
40	HOSPSTAF	Num	8	YN21_.	A3k. Before leaving for ED: talk w/ hospital staff
271	HOWHARD1	Num	8	DIFF.	O3. How Difficult was it for Respondent to answer questions?
272	HOWHARD2	Num	8	YN21_.	O4. Did Respondent have difficulty answering any questions?
60	HRTATT1	Num	8	YN21_.	A4g. Attributed cause to: heart attack
138	HRTATT2	Num	8	YN21_.	C1h. Reason reported for symptoms: heart attack
163	HRTPROB	Num	8	YN21_.	C4. Since initial treatment: told you have a heart problem?
62	HRTPROB1	Num	8	YN21_.	A4i. Attributed cause to: heart problem
140	HRTPROB2	Num	8	YN21_.	C1j. Reason reported for symptoms: heart problem
141	HYPERTEN	Num	8	YN21_.	C1k. Reason reported for symptoms: high blood pressure
49	IGNORE	Num	8	YN21_.	A3t. Before leaving for ED: ignored symptoms
61	INDIG1	Num	8	YN21_.	A4h. Attributed cause to: heartburn/indigestion
139	INDIG2	Num	8	YN21_.	C1i. Reason reported for symptoms: heartburn/indig
199	INOTHERS	Num	8	KNOW.	H1. How sure are you: Know signs of heart attack in someone else?
229	J1_OTHER	Num	8	YN21_.	J1x. Knowledge of symptoms: other
259	K1_OTHER	Num	8	YN21_.	K1a24. Heard of early action program from: other
201	KNOWSIGN	Num	8	KNOW.	H3. How sure are you: Distinguish heart attack from other problems?
198	KNOWTODO	Num	8	YN21_.	G4. Do you know what to do if having a heart attack?
206	K_ABPAIN	Num	8	YN21_.	J1a. Knowledge of symptoms: abdominal pain
224	K_ARMN	Num	8	YN21_.	J1s. Knowledge of symptoms: tingling arm/hand
207	K_ARMP	Num	8	YN21_.	J1b. Knowledge of symptoms: arm/shoulder pain
208	K_BACK	Num	8	YN21_.	J1c. Knowledge of symptoms: back pain
226	K_BREATH	Num	8	YN21_.	J1u. Knowledge of symptoms: difficulty breathing
212	K_CHDISC	Num	8	YN21_.	J1g. Knowledge of symptoms: chest discomfort
209	K_CHPAIN	Num	8	YN21_.	J1d. Knowledge of symptoms: chest pain
210	K_CHPRES	Num	8	YN21_.	J1e. Knowledge of symptoms: chest pressure
211	K_CHTIGH	Num	8	YN21_.	J1f. Knowledge of symptoms: chest tightness
213	K_COUGH	Num	8	YN21_.	J1h. Knowledge of symptoms: cough
214	K_DIZZY	Num	8	YN21_.	J1i. Knowledge of symptoms: dizzy/lightheaded
219	K_DOOM	Num	8	YN21_.	J1n. Knowledge of symptoms: impending doom
221	K_FAINT	Num	8	YN21_.	J1p. Knowledge of symptoms: fainting
217	K_HEAD	Num	8	YN21_.	J1l. Knowledge of symptoms: headache
218	K_INDIG	Num	8	YN21_.	J1m. Knowledge of symptoms: heartburn/indigestion
220	K_JAW	Num	8	YN21_.	J1o. Knowledge of symptoms: jaw pain
216	K_LOUSY	Num	8	YN21_.	J1k. Knowledge of symptoms: feel lousy/blah
222	K_NAUSEA	Num	8	YN21_.	J1q. Knowledge of symptoms: nausea/vomiting
223	K_NECK	Num	8	YN21_.	J1r. Knowledge of symptoms: neck pain
215	K_NOIDEA	Num	8	YN21_.	J1j. Knowledge of symptoms: no idea
225	K_PALP	Num	8	YN21_.	J1t. Knowledge of symptoms: palpitations
227	K_SWEAT	Num	8	YN21_.	J1v. Knowledge of symptoms: sweating
228	K_WEAK	Num	8	YN21_.	J1w. Knowledge of symptoms: weak/fatigue/faint
167	LEARNED	Num	8	BELIEF.	D4. Looking back: Increased ability to know when to go to ED
245	MAGAZINE	Num	8	YN21_.	K1a10. Heard of early action program from: magazine
244	MAILING	Num	8	YN21_.	K1a9. Heard of early action program from: mailing
246	MALL	Num	8	YN21_.	K1a11. Heard of early action program from: mall event
273	MISLED	Num	8	YN21_.	O5. Do you feel Respondent gave inaccurate/misleading info?
63	MUSCLE1	Num	8	YN21_.	A4j. Attributed cause to: muscle injury
142	MUSCLE2	Num	8	YN21_.	C1l. Reason reported for symptoms: muscle injury

247	NEWSPAP	Num	8	YN21_.	K1a12. Heard of early action program from: newspaper
202	NEXT5YRS	Num	8	LIKELY.	I1. Compared with others your age: Likelihood of heart attack next 5 yrs
33	NITRO	Num	8	YN21_.	A3d. Before leaving for ED: take nitroglycerin
135	NOTGIVEN	Num	8	YN21_.	C1e. Reason reported for symptoms: didn't tell me
194	NOTGO_ER	Num	8	YN21_.	G1a4. In the future, will: not go to ED

The CONTENTS Procedure

Alphabetic List of Variables and Attributes

#	Variable	Type	Len	Format	Label
47	NOTHING	Num	8	YN21_.	A3r. Before leaving for ED: did nothing
161	NOTHING2	Num	8	YN21_.	C3.6. Action if symptoms recur: nothing
99	NOTSEVER	Num	8	YN21_.	A6c.d. Reason didn't call 911: symptoms not worrisome enough
205	NO_EMT	Num	8	BELIEF.	I4. Agreement scale: Rather be driven to ED than take ambulance
58	NO_IDEA1	Num	8	YN21_.	A4e. Attributed cause to: no idea
136	NO_IDEA2	Num	8	YN21_.	C1f. Reason reported for symptoms: no idea
41	NURSE	Num	8	YN21_.	A3l. Before leaving for ED: talk w/ nurse
195	OTHERDIF	Num	8	YN21_.	G1a5. In the future, will: other
45	OTHER_C	Num	8	YN21_.	A3p. Before leaving for ED: called other
42	OTHER_P	Num	8	YN21_.	A3m. Before leaving for ED: talk w/ other
35	OTHER_RX	Num	8	YN21_.	A3f. Before leaving for ED: take other meds
231	OVER65	Num	8	TF.	J2b. True/false: Almost all heart attacks ages >65 (false)
173	P6COWORK	Num	8	YN21_.	F1b1. Discussed 6-mos prior with: co-Worker
181	P6FAMILY	Num	8	YN21_.	F1b5. Planned 6-mos prior with: other family member
175	P6FRIEND	Num	8	YN21_.	F1b2. Planned 6-mos prior with: friend
177	P6NEIGHB	Num	8	YN21_.	F1b3. Planned 6-mos prior with: neighbor
179	P6NURSE	Num	8	YN21_.	F1b4. Planned 6-mos prior with: nurse
187	P6SPOUSE	Num	8	YN21_.	F1b8. Planned 6-mos prior with: spouse
185	P6_DR	Num	8	YN21_.	F1b7. Planned 6-mos prior with: physician
183	P6_PRO	Num	8	YN21_.	F1b6. Planned 6-mos prior with: health professional
3	PAIR	Char	2		'De-identified' Pair Number
250	PAMPHLET	Num	8	YN21_.	K1a15. Heard of early action program from: pamphlet
172	PCOWORK	Num	8	YN21_.	F1a1. Discussed plan with: co-Worker
180	PFAMILY	Num	8	YN21_.	F1a5. Discussed plan with: other family member
174	PFRIEND	Num	8	YN21_.	F1a2. Discussed plan with: friend
176	PNEIGHB	Num	8	YN21_.	F1a3. Discussed plan with: neighbor
178	PNURSE	Num	8	YN21_.	F1a4. Discussed plan with: nurse
252	POSTER	Num	8	YN21_.	K1a17. Heard of early action program from: poster
165	PRAISED	Num	8	BELIEF.	D2. Looking back: ED staff praised you for going to ED
196	PREP_FAM	Num	8	YN21_.	G2. Talked with spouse/family about what to do
197	PREP_OTH	Num	8	YN21_.	G3. Talked with neighbor/friend/coworker about what to do
186	PSPOUSE	Num	8	YN21_.	F1a8. Discussed plan with: spouse
184	P_DR	Num	8	YN21_.	F1a7. Discussed plan with: physician
182	P_PRO	Num	8	YN21_.	F1a6. Discussed plan with: health professional
108	Q_BEFORE	Num	8	YN21_.	B1a.f. Why go quickly to ED: had symptoms before
103	Q_DOCTOR	Num	8	YN21_.	B1a.a. Why go quickly to ED: advice from doctor
104	Q_FAMILY	Num	8	YN21_.	B1a.b. Why go quickly to ED: advice from family
105	Q_FRIEND	Num	8	YN21_.	B1a.c. Why go quickly to ED: advice of friends/coworkers
110	Q_KNEW	Num	8	YN21_.	B1a.h. Why go quickly to ED: knew it was serious
107	Q_MEDINS	Num	8	YN21_.	B1a.e. Why go quickly to ED: had medical insurance
111	Q_PAIN	Num	8	YN21_.	B1a.i. Why go quickly to ED: pain got worse
109	Q_RISK	Num	8	YN21_.	B1a.g. Why go quickly to ED: can't afford not to
112	Q_SEVERE	Num	8	YN21_.	B1a.j. Why go quickly to ED: symptoms were severe
106	Q_SURE	Num	8	YN21_.	B1a.d. Why go quickly to ED: certainty of heart attack
253	RADIO	Num	8	YN21_.	K1a18. Heard of early action program from: radio
260	RCLREACT	Num	8	RECALL.	K1b. Can you recall the name: REACT?
263	REACT	Num	8	YN21_.	K1d2. Do you recognize the name: Heart Attack REACT?

50	REDEFINE	Num	8	YN21_.	A3u. Before leaving for ED: redefined symptoms
51	REST	Num	8	YN21_.	A3v. Before leaving for ED: rested
251	RX_FLIER	Num	8	YN21_.	K1a16. Heard of early action program from: pharmacy poster/flier
254	SCHOOL	Num	8	YN21_.	K1a19. Heard of early action program from: school/class
155	SEENDR	Num	8	YN21_.	C2b. Did you see your doctor since ED visit?

The CONTENTS Procedure

Alphabetic List of Variables and Attributes

#	Variable	Type	Len	Format	Label
255	SELFHELP	Num	8	YN21_.	K1a20. Heard of early action program from: clinic/group
256	SIGNS	Num	8	YN21_.	K1a21. Heard of early action program from: signs
2	SITE	Char	1		'De-identified' Site ID
257	SOCIAL	Num	8	YN21_.	K1a22. Heard of early action program from: social group
240	SOURC_DR	Num	8	YN21_.	K1a5. Heard of early action program from: doctor
241	SOURC_FA	Num	8	YN21_.	K1a6. Heard of early action program from: family member
242	SOURC_FR	Num	8	YN21_.	K1a7. Heard of early action program from: friend/coworker
243	SOURC_HO	Num	8	YN21_.	K1a8. Heard of early action program from: hospital
1	SUBJECT_ID	Char	10		'De-identified' Subject ID number
37	TALK_DR	Num	8	YN21_.	A3h. Before leaving for ED: talk w/ doctor
34	TRANQ	Num	8	YN21_.	A3e. Before leaving for ED: take tranquilizer
258	TV	Num	8	YN21_.	K1a23. Heard of early action program from: television
65	ULCER1	Num	8	YN21_.	A4l. Attributed cause to: ulcer
143	ULCER2	Num	8	YN21_.	C1m. Reason reported for symptoms: ulcer
144	UNDETERM	Num	8	YN21_.	C1n. Reason reported for symptoms: they didn't know
274	UNUSUAL	Num	8	YN21_.	O6. Any unusual circumstances during interview?
204	WAIT	Num	8	BELIEF.	I3. Agreement scale: Would wait until very sure before going to ED
52	WAITED	Num	8	YN21_.	A3w. Before leaving for ED: wait and see
114	WAITED2	Num	8	YN21_.	B2. Factors causing delay in going to hospital
230	WOMEN	Num	8	TF.	J2a. True/false: CHD #1 death in US women (true)
118	W_AFRAID	Num	8	YN21_.	B2a.d. Why wait to go to ED: afraid of treatment
119	W_CHILD	Num	8	YN21_.	B2a.e. Why wait to go to ED: childcare
120	W_COST	Num	8	YN21_.	B2a.f. Why wait to go to ED: cost of medical care
115	W_DOCTOR	Num	8	YN21_.	B2a.a. Why wait to go to ED: advice from doctor
122	W_EMBARR	Num	8	YN21_.	B2a.h. Why wait to go to ED: embarrassed if false alarm
116	W_FAMILY	Num	8	YN21_.	B2a.b. Why wait to go to ED: advice from family
123	W_FEARDR	Num	8	YN21_.	B2a.i. Why wait to go to ED: fear of hospitals/doctors
117	W_FRIEND	Num	8	YN21_.	B2a.c. Why wait to go to ED: advice of friends/coworkers
124	W_GOAWAY	Num	8	YN21_.	B2a.j. Why wait to go to ED: prior experience
126	W_MEDINS	Num	8	YN21_.	B2a.l. Why wait to go to ED: lack medical insurance
128	W_PHONE	Num	8	YN21_.	B2a.n. Why wait to go to ED: wait to hear back from provider
127	W_SEVERE	Num	8	YN21_.	B2a.m. Why wait to go to ED: symptoms not severe enough
125	W_STAFF	Num	8	YN21_.	B2a.k. Why wait to go to ED: lack confidence in hospital staff
121	W_UNREL	Num	8	YN21_.	B2a.g. Why wait to go to ED: thought symptoms not CHD-related
129	W_WORK	Num	8	YN21_.	B2a.o. Why wait to go to ED: would lose pay from work
200	YOURSELF	Num	8	KNOW.	H2. How sure are you: Know signs of heart attack in yourself?
101	call2leave	Num	8	DELAY2_.	<A7 Surrogate> Length of time from calling 911 until left for ED
95	onset2call911	Num	8	DELAY2_.	<A6a-b Surrogate> Length of time from symptom onset until 911 call
6	phase	Num	8	PHASE.	<created var> 1=Baseline 2=Follow-up

Sort Information

Sortedby SUBJECT_ID
Validated YES
Character Set ANSI

The CONTENTS Procedure

Data Set Name	IN.IP_ABSTRACTS	Observations	25794
Member Type	DATA	Variables	75
Engine	V9	Indexes	0
Created	9:03 Friday, November 18, 2005	Observation Length	576
Last Modified	9:03 Friday, November 18, 2005	Deleted Observations	0
Protection		Compressed	NO
Data Set Type		Sorted	YES
Label			
Data Representation	WINDOWS		
Encoding	wlatin1 Western (Windows)		

Engine/Host Dependent Information

Data Set Page Size	16384
Number of Data Set Pages	922
First Data Page	1
Max Obs per Page	28
Obs in First Data Page	6
Number of Data Set Repairs	0
File Name	REACT\7. Limited Access Datasets\ip_abstracts.sas7bdat
Release Created	9.0101M0
Host Created	XP_PRO

Alphabetic List of Variables and Attributes

#	Variable	Type	Len	Format	Label
63	CK1_HOSP	Num	8	4.	E2A: Hospital's upper limit of normal: Total CK (U/L)
62	CK1_PAT	Num	8	4.	E1A: Patient's peak serum findings: Total CK (U/L)
65	CK2_HOSP	Num	8	4.	E2B: Hospital's upper limit of normal: Total CK (IU/L)
64	CK2_PAT	Num	8	4.	E1B: Patient's peak serum findings: Total CK (IU/L)
4	COMMUNITY	Char	2		'De-identified' Community ID
9	DISP	Num	8	DISP.	B3: Patient Disposition (released alive, transferred, or died at admission)
7	FORM_V	Char	8		A3: Form Version Date
5	GROUP	Char	1		I=intervention community, C=control community
67	LDH2_HOS	Num	8	4.	E2D: Hospital's upper limit of normal: Total LDH (IU/L)
66	LDH2_PAT	Num	8	4.	E1D: Patient's peak serum findings: Total LDH (IU/L)
69	LDH3_HOS	Num	8	4.	E2E: Hospital's upper limit of normal: Total LDH (IU/L)
68	LDH3_PAT	Num	8	4.	E1E: Patient's peak serum findings: Total LDH (IU/L)
56	NDYSPNEA	Num	8	YN12_.	D2a.R: Nurse's note (presenting symptoms): SOB/Dyspnea
38	NUR_NOTE	Num	8	AVAIL.	D2: Presenting symptom history from nurse's admission note
39	N_ABPAIN	Num	8	YN12_.	D2a.A: Nurse's note (presenting symptoms): Abdominal Pain
54	N_ARMN	Num	8	YN12_.	D2a.P: Nurse's note (presenting symptoms): Numbness Arm/Hand
40	N_ARMP	Num	8	YN12_.	D2a.B: Nurse's note (presenting symptoms): Arm/Shoulder Pain
41	N_BACK	Num	8	YN12_.	D2a.C: Nurse's note (presenting symptoms): Back Pain
45	N_CHDISC	Num	8	YN12_.	D2a.G: Nurse's note (presenting symptoms): Chest Discomfort
42	N_CHPAIN	Num	8	YN12_.	D2a.D: Nurse's note (presenting symptoms): Chest Pain
43	N_CHPRES	Num	8	YN12_.	D2a.E: Nurse's note (presenting symptoms): Chest Pressure
44	N_CHTIGH	Num	8	YN12_.	D2a.F: Nurse's note (presenting symptoms): Chest Tightness

46	N_COUGH	Num	8	YN12_.	D2a.H: Nurse's note (presenting symptoms): Cough
47	N_DIZZY	Num	8	YN12_.	D2a.I: Nurse's note (presenting symptoms): Dizziness
48	N_HEAD	Num	8	YN12_.	D2a.J: Nurse's note (presenting symptoms): Headache
49	N_INDIG	Num	8	YN12_.	D2a.K: Nurse's note (presenting symptoms): Indigestion
50	N_JAW	Num	8	YN12_.	D2a.L: Nurse's note (presenting symptoms): Jaw Pain

The CONTENTS Procedure

Alphabetic List of Variables and Attributes

#	Variable	Type	Len	Format	Label
52	N_NAUSEA	Num	8	YN12_.	D2a.N: Nurse's note (presenting symptoms): Nausea
53	N_NECK	Num	8	YN12_.	D2a.O: Nurse's note (presenting symptoms): Neck Pain
60	N_OTHER	Num	8	YN12_.	D2a.V: Nurse's note (presenting symptoms): Other
55	N_PALP	Num	8	YN12_.	D2a.Q: Nurse's note (presenting symptoms): Palpitations
57	N_SWEAT	Num	8	YN12_.	D2a.S: Nurse's note (presenting symptoms): Sweating
51	N_UNCONS	Num	8	YN12_.	D2a.M: Nurse's note (presenting symptoms): Loss of Conscious
58	N_VOMIT	Num	8	YN12_.	D2a.T: Nurse's note (presenting symptoms): Vomiting
59	N_WEAK	Num	8	YN12_.	D2a.U: Nurse's note (presenting symptoms): Weakness/Fatigue
3	PAIR	Char	2		'De-identified' Pair Number
32	PDYSPNEA	Num	8	YN12_.	D1a.R: Physician's note (presenting symptoms): SOB/Dyspnea
14	PHY_NOTE	Num	8	AVAIL.	D1: Presenting symptom history from attending physician's admission note
15	P_ABPAIN	Num	8	YN12_.	D1a.A: Physician's note (presenting symptoms): Abdominal Pain
30	P_ARMN	Num	8	YN12_.	D1a.P: Physician's note (presenting symptoms): Numbness Arm/Hand
16	P_ARMP	Num	8	YN12_.	D1a.B: Physician's note (presenting symptoms): Arm/Shoulder Pain
17	P_BACK	Num	8	YN12_.	D1a.C: Physician's note (presenting symptoms): Back Pain
21	P_CHDISC	Num	8	YN12_.	D1a.G: Physician's note (presenting symptoms): Chest Discomfort
18	P_CHPAIN	Num	8	YN12_.	D1a.D: Physician's note (presenting symptoms): Chest Pain
19	P_CHPRES	Num	8	YN12_.	D1a.E: Physician's note (presenting symptoms): Chest Pressure
20	P_CHTIGH	Num	8	YN12_.	D1a.F: Physician's note (presenting symptoms): Chest Tightness
22	P_COUGH	Num	8	YN12_.	D1a.H: Physician's note (presenting symptoms): Cough
23	P_DIZZY	Num	8	YN12_.	D1a.I: Physician's note (presenting symptoms): Dizziness
24	P_HEAD	Num	8	YN12_.	D1a.J: Physician's note (presenting symptoms): Headache
25	P_INDIG	Num	8	YN12_.	D1a.K: Physician's note (presenting symptoms): Indigestion
26	P_JAW	Num	8	YN12_.	D1a.L: Physician's note (presenting symptoms): Jaw Pain
28	P_NAUSEA	Num	8	YN12_.	D1a.N: Physician's note (presenting symptoms): Nausea
29	P_NECK	Num	8	YN12_.	D1a.O: Physician's note (presenting symptoms): Neck Pain
36	P_OTHER	Num	8	YN12_.	D1a.V: Physician's note (presenting symptoms): Other
31	P_PALP	Num	8	YN12_.	D1a.Q: Physician's note (presenting symptoms): Palpitations
33	P_SWEAT	Num	8	YN12_.	D1a.S: Physician's note (presenting symptoms): Sweating
27	P_UNCONS	Num	8	YN12_.	D1a.M: Physician's note (presenting symptoms): Loss of Conscious
34	P_VOMIT	Num	8	YN12_.	D1a.T: Physician's note (presenting symptoms): Vomiting
35	P_WEAK	Num	8	YN12_.	D1a.U: Physician's note (presenting symptoms): Weakness/Fatigue
2	SITE	Char	1		'De-identified' Site ID
1	SUBJECT_ID	Char	10		'De-identified' Subject ID number
71	TRO_HOSP	Num	8	5.2	E2G: Hospital's upper limit of normal: Troponini (NG/ML)
70	TRO_PAT	Num	8	5.2	E1G: Patient's peak serum findings: Troponini (NG/ML)
13	chd_mi	Num	8	YN12_.	<C1, C2 Surrogate> Past History of CHD or MI
8	hospdays	Num	8	LOS.	<B1, B2 Surrogate> Days in hospital (HOSPDAYS=7 includes stays > 1 week)
10	icd410_414	Num	8	YN12_.	<B4 Surrogate> Any ICD Code of 410-414: Ischemic Heart Disease
11	icd427_429	Num	8	YN12_.	<B4 Surrogate> Any ICD Code of 427-429: Other Forms of Heart Disease
12	icd440_7865	Num	8	YN12_.	<B4 Surrogate> Any ICD Code of 440-786.5: Atherosclerosis or Chest Pain
74	intervx	Num	8	YN12_.	<F2a Surrogate> Coronary angioplasty (PTCA) or coronary artery bypass graft (CABG)
75	intervx_hrs	Num	8	DELAY.	<F2b-F2c Surrogate> Hours from ED arrival until first intervention (PTCA or CABG)
61	mrn_delay	Num	8	DELAY.	<D2b-c Surrogate> Hours from symptom onset until ED arrival (MRA nurse's note)
37	mrp_delay	Num	8	DELAY.	<D1b-c Surrogate> Hours from symptom onset until ED arrival (MRA physician's note)
6	phase	Num	8	PHASE.	<created var> 1=Baseline 2=Follow-up
72	thromb	Num	8	YN12_.	<F1a Surrogate> Any Thrombolytic Therapy

73 thromb_hrs Num 8 DELAY. <F1b-F1c Surrogate> Hours from ED arrival until first thrombolytic therapy

The CONTENTS Procedure

Sort Information

Sortedby	SUBJECT_ID
Validated	YES
Character Set	ANSI

The CONTENTS Procedure

Data Set Name	IN.IP_SURVEYS	Observations	3177
Member Type	DATA	Variables	331
Engine	V9	Indexes	0
Created	12:54 Friday, November 18, 2005	Observation Length	2624
Last Modified	12:54 Friday, November 18, 2005	Deleted Observations	0
Protection		Compressed	NO
Data Set Type		Sorted	YES
Label			
Data Representation	WINDOWS		
Encoding	wlatin1 Western (Windows)		

Engine/Host Dependent Information

Data Set Page Size	16384
Number of Data Set Pages	533
First Data Page	4
Max Obs per Page	6
Obs in First Data Page	5
Number of Data Set Repairs	0
File Name	REACT\7. Limited Access Datasets\ip_surveys.sas7bdat
Release Created	9.0101M0
Host Created	XP_PRO

Alphabetic List of Variables and Attributes

#	Variable	Type	Len	Format	Label
46	ACCEPTED	Num	8	YN21_.	A3q. Before leaving for ED: accepted symptom
30	ALCOHOL	Num	8	YN21_.	A3a. Before leaving for ED: drink alcohol
321	ALERT	Num	8	YN21_.	J1d3. Do you recognize the name: Heart Alert?
67	ALONE	Num	8	YN21_.	A5. Were you alone when decision made to go to ER?
322	AMB_PAID	Num	8	YN21_.	L8a. Insurance pays at least some of ambulance service
54	ANGINA1	Num	8	YN21_.	A4a. Attributed cause to: angina
126	ANGINA2	Num	8	YN21_.	A10a. Reason reported for symptoms: angina
31	ANTACID	Num	8	YN21_.	A3b. Before leaving for ED: take antacid
55	ANXIETY1	Num	8	YN21_.	A4b. Attributed cause to: anxiety
127	ANXIETY2	Num	8	YN21_.	A10b. Reason reported for symptoms: anxiety
56	ARTHRIT1	Num	8	YN21_.	A4c. Attributed cause to: arthritis
128	ARTHRIT2	Num	8	YN21_.	A10c. Reason reported for symptoms: arthritis
32	ASPIRIN	Num	8	YN21_.	A3c. Before leaving for ED: take aspirin
7	A_ABPAIN	Num	8	YN21_.	A1a. Symptom prompting ED visit: abdominal pain
24	A_ARMN	Num	8	YN21_.	A1r. Symptom prompting ED visit: tingling arm/hand
8	A_ARMP	Num	8	YN21_.	A1b. Symptom prompting ED visit: arm/shoulder pain
9	A_BACK	Num	8	YN21_.	A1c. Symptom prompting ED visit: back pain
26	A_BREATH	Num	8	YN21_.	A1t. Symptom prompting ED visit: difficult breathing
13	A_CHDISC	Num	8	YN21_.	A1g. Symptom prompting ED visit: chest discomfort
10	A_CHPAIN	Num	8	YN21_.	A1d. Symptom prompting ED visit: chest pain
11	A_CHPRES	Num	8	YN21_.	A1e. Symptom prompting ED visit: chest pressure
12	A_CHTIGH	Num	8	YN21_.	A1f. Symptom prompting ED visit: chest tightness

14	A_COUGH	Num	8	YN21_.	A1h. Symptom prompting ED visit: cough
15	A_DIZZY	Num	8	YN21_.	A1i. Symptom prompting ED visit: dizzy/lightheaded
19	A_DOOM	Num	8	YN21_.	A1m. Symptom prompting ED visit: impending doom
21	A_FAINT	Num	8	YN21_.	A1o. Symptom prompting ED visit: fainting
17	A_HEAD	Num	8	YN21_.	A1k. Symptom prompting ED visit: headache

The CONTENTS Procedure

Alphabetic List of Variables and Attributes

#	Variable	Type	Len	Format	Label
18	A_INDIG	Num	8	YN21_.	A1l. Symptom prompting ED visit: heartburn/indigestion
20	A_JAW	Num	8	YN21_.	A1n. Symptom prompting ED visit: jaw pain
16	A_LOUSY	Num	8	YN21_.	A1j. Symptom prompting ED visit: feel lousy/blah
22	A_NAUSEA	Num	8	YN21_.	A1p. Symptom prompting ED visit: nausea/vomiting
23	A_NECK	Num	8	YN21_.	A1q. Symptom prompting ED visit: neck pain
25	A_PALP	Num	8	YN21_.	A1s. Symptom prompting ED visit: palpitations
27	A_SWEAT	Num	8	YN21_.	A1u. Symptom prompting ED visit: sweating
28	A_WEAK	Num	8	YN21_.	A1v. Symptom prompting ED visit: weak/fatigue/faint
284	BE_EMBAR	Num	8	BELIEF.	H2. Agreement scale: Embarrassed at ED if not a heart attack
293	BILLBOAR	Num	8	YN21_.	J1a1. Heard of early action program from: billboards
290	BLACK	Num	8	TF.	I1d. True/false: Younger blacks at greater risk (true)
294	BOOK	Num	8	YN21_.	J1a2. Heard of early action program from: book
57	BREATH1	Num	8	YN21_.	A4d. Attributed cause to: lungs/breathing
129	BREATH2	Num	8	YN21_.	A10d. Reason reported for symptoms: lungs/breathing
94	CALL911	Num	8	YN21_.	A6. Did you or someone else call 911/ambulance?
44	CALLPLAN	Num	8	YN21_.	A3o. Before leaving for ED: called health care plan
43	CALL_DR	Num	8	YN21_.	A3n. Before leaving for ED: called doctor
292	CAMPAIGN	Num	8	YN21_.	J1. Awareness of early action campaigns?
325	CARD6MOS	Num	8	YN21_.	L10a. Saw cardiologist 6 mos prior to ED visit?
295	CHURCH	Num	8	YN21_.	J1a3. Heard of early action program from: church
296	CIVICORG	Num	8	YN21_.	J1a4. Heard of early action program from: civic org.
326	COMFORT	Num	8	COMFORT.	N1. Comfort level of respondent
319	COMMIT	Num	8	YN21_.	J1d1. Do you recognize the name: COMMIT?
4	COMMUNITY	Char	2		'De-identified' Community ID
327	COOPERAT	Num	8	COOP.	N2. Degree of cooperation from respondent
96	COST	Num	8	YN21_.	A6c.a. Reason didn't call 911: cost/not insured
36	COWORKER	Num	8	YN21_.	A3g. Before leaving for ED: talk w/ coworker
48	DIENGAG	Num	8	YN21_.	A3s. Before leaving for ED: disengaged self
324	DRPASTYR	Num	8	YN21_.	L9a. Visited your doctor in the past year?
289	DRUGS	Num	8	TF.	I1c. True/false: Hospitals have drugs to reduce damage (true)
68	D_ACQUAI	Num	8	YN21_.	A5a.a. Decision to go to ER: casual acquaintance
70	D_COWORK	Num	8	YN21_.	A5b.a. Decision to go to ER: co-worker
78	D_FAMILY	Num	8	YN21_.	A5f.a. Decision to go to ER: other family
72	D_HOSP	Num	8	YN21_.	A5c.a. Decision to go to ER: hospital personnel
80	D_MEDICS	Num	8	YN21_.	A5g.a. Decision to go to ER: paramedics
74	D_NEIGHB	Num	8	YN21_.	A5d.a. Decision to go to ER: neighbor
76	D_NOBODY	Num	8	YN21_.	A5e.a. Decision to go to ER: nobody
82	D_PHYS	Num	8	YN21_.	A5h.a. Decision to go to ER: physician
90	D_SELF	Num	8	YN21_.	A5l.a. Decision to go to ER: yourself
86	D_SPOUSE	Num	8	YN21_.	A5j.a. Decision to go to ER: spouse
84	D_STAFF	Num	8	YN21_.	A5i.a. Decision to go to ER: physician's office staff
88	D_STRANG	Num	8	YN21_.	A5k.a. Decision to go to ER: stranger
323	ED_PAID	Num	8	YN21_.	L8b. Insurance pays at least some of ED visits
318	EFFECT1	Num	8	YN21_.	J1c. Program affected decision to go to ED?
98	EMBAR911	Num	8	YN21_.	A6c.c. Reason didn't call 911: embarrassed to call
200	EVERPLAN	Num	8	YN21_.	D1. Before hospitalization: Ever discuss what to do?
64	EXERT1	Num	8	YN21_.	A4k. Attributed cause to: overexertion

136	EXERT2	Num	8	YN21_.	A10k. Reason reported for symptoms: overexertion
197	EXPLCAUS	Num	8	EXPL.	C4a. How was explanation of what caused problems?
198	EXPLRESP	Num	8	EXPL.	C4b. How was explanation of what was done for you?
199	EXPLTODO	Num	8	EXPL.	C4c. How was explanation of what to do if symptoms return?
69	E_ACQUAI	Num	8	YN21_.	A5a.b. Encouraged to go to ER: acquaintance

The CONTENTS Procedure

Alphabetic List of Variables and Attributes

#	Variable	Type	Len	Format	Label
71	E_COWORK	Num	8	YN21_.	A5b.b. Encouraged to go to ER: co-worker
79	E_FAMILY	Num	8	YN21_.	A5f.b. Encouraged to go to ER: other family
73	E_HOSP	Num	8	YN21_.	A5c.b. Encouraged to go to ER: hospital personnel
81	E_MEDICS	Num	8	YN21_.	A5g.b. Encouraged to go to ER: paramedics
75	E_NEIGHB	Num	8	YN21_.	A5d.b. Encouraged to go to ER: neighbor
77	E_NOBODY	Num	8	YN21_.	A5e.b. Encouraged to go to ER: nobody
83	E_PHYS	Num	8	YN21_.	A5h.b. Encouraged to go to ER: physician
91	E_SELF	Num	8	YN21_.	A5l.b. Encouraged to go to ER: yourself
87	E_SPOUSE	Num	8	YN21_.	A5j.b. Encouraged to go to ER: spouse
85	E_STAFF	Num	8	YN21_.	A5i.b. Encouraged to go to ER: physician's office staff
89	E_STRANG	Num	8	YN21_.	A5k.b. Encouraged to go to ER: stranger
38	FAMILY	Num	8	YN21_.	A3i. Before leaving for ED: talk w/ family
97	FASTER	Num	8	YN21_.	A6c.b. Reason didn't call 911: faster alternative
59	FLU1	Num	8	YN21_.	A4f. Attributed cause to: flu/cold
131	FLU2	Num	8	YN21_.	A10f. Reason reported for symptoms: flu/cold
39	FRIEND	Num	8	YN21_.	A3j. Before leaving for ED: talk w/ friend
196	GAVEINFO	Num	8	YN21_.	C3. In hospital, did anyone give you info on heart attacks?
139	GOQUICK	Num	8	YN21_.	B1. Factors causing to go quickly to hospital
182	GOQUICK1	Num	8	YN21_.	C2. In hospital, who talked with you about quick action?
238	GOQUICK2	Num	8	YN21_.	E6. Since left hospital: talked with anyone re: go quickly?
5	GROUP	Char	1		I=intervention community, C=control community
291	HISPANIC	Num	8	TF.	i1e. True/false: Younger hispanics at greater risk (false)
306	HLTH_ORG	Num	8	YN21_.	J1a14. Heard of early action program from: health org.
305	HLTH_PRO	Num	8	YN21_.	J1a13. Heard of early action program from: health professional
220	HOMVISIT	Num	8	YN21_.	E2. Since left hospital: nurse visited your home?
40	HOSPSTAF	Num	8	YN21_.	A3k. Before leaving for ED: talk w/ hospital staff
328	HOWHARD1	Num	8	DIFF.	N3. How Difficult was it for Respondent to answer questions?
329	HOWHARD2	Num	8	YN21_.	N4. Did Respondent have difficulty answering any questions?
60	HRTATT1	Num	8	YN21_.	A4g. Attributed cause to: heart attack
132	HRTATT2	Num	8	YN21_.	A10g. Reason reported for symptoms: heart attack
62	HRTPROB1	Num	8	YN21_.	A4i. Attributed cause to: heart problem
134	HRTPROB2	Num	8	YN21_.	A10i. Reason reported for symptoms: heart problem
49	IGNORE	Num	8	YN21_.	A3t. Before leaving for ED: ignored symptoms
61	INDIG1	Num	8	YN21_.	A4h. Attributed cause to: heartburn/indigestion
133	INDIG2	Num	8	YN21_.	A10h. Reason reported for symptoms: heartburn/indig
280	INOTHERS	Num	8	KNOW.	G1. How sure are you: Know signs of heart attack in someone else?
282	KNOWSIGN	Num	8	KNOW.	G3. How sure are you: Distinguish heart attack from other problems?
302	MAGAZINE	Num	8	YN21_.	J1a10. Heard of early action program from: magazine
301	MAILING	Num	8	YN21_.	J1a9. Heard of early action program from: mailing
303	MALL	Num	8	YN21_.	J1a11. Heard of early action program from: mall event
330	MISLED	Num	8	YN21_.	N5. Do you feel Respondent gave inaccurate/misleading info?
63	MUSCLE1	Num	8	YN21_.	A4j. Attributed cause to: muscle injury
135	MUSCLE2	Num	8	YN21_.	A10j. Reason reported for symptoms: muscle injury
304	NEWSPAP	Num	8	YN21_.	J1a12. Heard of early action program from: newspaper
283	NEXT5YRS	Num	8	LIKELY.	H1. Compared with others your age: Likelihood of heart attack next 5 yrs
33	NITRO	Num	8	YN21_.	A3d. Before leaving for ED: take nitroglycerin
47	NOTHING	Num	8	YN21_.	A3r. Before leaving for ED: did nothing

99	NOTSEVER	Num	8	YN21_.	A6c.d. Reason didn't call 911: symptoms not worrisome enough
286	NO_EMT	Num	8	BELIEF.	H4. Agreement scale: Rather be driven to ED than take ambulance
58	NO_IDEA1	Num	8	YN21_.	A4e. Attributed cause to: no idea
130	NO_IDEA2	Num	8	YN21_.	A10e. Reason reported for symptoms: no idea
41	NURSE	Num	8	YN21_.	A31. Before leaving for ED: talk w/ nurse

The CONTENTS Procedure

Alphabetic List of Variables and Attributes

#	Variable	Type	Len	Format	Label
45	OTHER_C	Num	8	YN21_.	A3p. Before leaving for ED: called other
42	OTHER_P	Num	8	YN21_.	A3m. Before leaving for ED: talk w/ other
35	OTHER_RX	Num	8	YN21_.	A3f. Before leaving for ED: take other meds
288	OVER65	Num	8	TF.	I1b. True/false: Almost all heart attacks ages >65 (false)
202	P6COWORK	Num	8	YN21_.	D1b1. Discussed 6-mos prior with: co-Worker
210	P6FAMILY	Num	8	YN21_.	D1b5. Planned 6-mos prior with:other family member
204	P6FRIEND	Num	8	YN21_.	D1b2. Planned 6-mos prior with: friend
206	P6NEIGHB	Num	8	YN21_.	D1b3. Planned 6-mos prior with: neighbor
208	P6NURSE	Num	8	YN21_.	D1b4. Planned 6-mos prior with: nurse
216	P6SPOUSE	Num	8	YN21_.	D1b8. Planned 6-mos prior with: spouse
214	P6_DR	Num	8	YN21_.	D1b7. Planned 6-mos prior with: physician
212	P6_PRO	Num	8	YN21_.	D1b6. Planned 6-mos prior with: health professional
3	PAIR	Char	2		'De-identified' Pair Number
307	PAMPHLET	Num	8	YN21_.	J1a15. Heard of early action program from: pamphlet
201	PCOWORK	Num	8	YN21_.	D1a1. Discussed plan with: co-Worker
209	PFAMILY	Num	8	YN21_.	D1a5. Discussed plan with: other family member
203	PFRIEND	Num	8	YN21_.	D1a2. Discussed plan with: friend
205	PNEIGHB	Num	8	YN21_.	D1a3. Discussed plan with: neighbor
207	PNURSE	Num	8	YN21_.	D1a4. Discussed plan with: nurse
309	POSTER	Num	8	YN21_.	J1a17. Heard of early action program from: poster
253	PREP_FAM	Num	8	YN21_.	F1. Have you talked with a spouse/family member about what to do?
254	PREP_OTH	Num	8	YN21_.	F2. Have you talked with others about what to do?
215	P_SPOUSE	Num	8	YN21_.	D1a8. Discussed plan with: spouse
103	P_ABPAIN	Num	8	YN21_.	A9a.a. Other related symptoms (1 wk prior): abdominal pain
120	P_ARMN	Num	8	YN21_.	A9a.r. Other related symptoms (1 wk prior): tingling arm/hand
104	P_ARMP	Num	8	YN21_.	A9a.b. Other related symptoms (1 wk prior): arm/shoulder pain
105	P_BACK	Num	8	YN21_.	A9a.c. Other related symptoms (1 wk prior): back pain
122	P_BREATH	Num	8	YN21_.	A9a.t. Other related symptoms (1 wk prior): difficult breathing
109	P_CHDISC	Num	8	YN21_.	A9a.g. Other related symptoms (1 wk prior): chest discomfort
106	P_CHPAIN	Num	8	YN21_.	A9a.d. Other related symptoms (1 wk prior): chest pain
107	P_CHPRES	Num	8	YN21_.	A9a.e. Other related symptoms (1 wk prior): chest pressure
108	P_CHTIGH	Num	8	YN21_.	A9a.f. Other related symptoms (1 wk prior): chest tightness
110	P_COUGH	Num	8	YN21_.	A9a.h. Other related symptoms (1 wk prior): cough
111	P_DIZZY	Num	8	YN21_.	A9a.i. Other related symptoms (1 wk prior): dizzy/lightheaded
115	P_DOOM	Num	8	YN21_.	A9a.m. Other related symptoms (1 wk prior): impending doom
213	P_DR	Num	8	YN21_.	D1a7. Discussed plan with: physician
117	P_FAINT	Num	8	YN21_.	A9a.o. Other related symptoms (1 wk prior): fainting
113	P_HEAD	Num	8	YN21_.	A9a.k. Other related symptoms (1 wk prior): headache
114	P_INDIG	Num	8	YN21_.	A9a.l. Other related symptoms (1 wk prior): heartburn/indigestion
116	P_JAW	Num	8	YN21_.	A9a.n. Other related symptoms (1 wk prior): jaw pain
112	P_LOUSY	Num	8	YN21_.	A9a.j. Other related symptoms (1 wk prior): feel lousy/blah
118	P_NAUSEA	Num	8	YN21_.	A9a.p. Other related symptoms (1 wk prior): nausea/vomiting
119	P_NECK	Num	8	YN21_.	A9a.q. Other related symptoms (1 wk prior): neck pain
121	P_PALP	Num	8	YN21_.	A9a.s. Other related symptoms (1 wk prior): palpitations
211	P_PRO	Num	8	YN21_.	D1a6. Discussed plan with: health professional
123	P_SWEAT	Num	8	YN21_.	A9a.u. Other related symptoms (1 wk prior): sweating
124	P_WEAK	Num	8	YN21_.	A9a.v. Other related symptoms (1 wk prior): weak/fatigue/faint

184	Q1CCU	Num	8	YN21_.	C2b. Going quickly discussed with: CCU staff
185	Q1COWORK	Num	8	YN21_.	C2c. Going quickly discussed with: coworker/colleague
187	Q1DK	Num	8	YN21_.	C2e. Going quickly discussed with: don't know
186	Q1DOCTOR	Num	8	YN21_.	C2d. Going quickly discussed with: doctor
188	Q1ERSTAF	Num	8	YN21_.	C2f. Going quickly discussed with: ER staff

The CONTENTS Procedure

Alphabetic List of Variables and Attributes

#	Variable	Type	Len	Format	Label
192	Q1FAMILY	Num	8	YN21_.	C2j. Going quickly discussed with: other family member
189	Q1FRIEND	Num	8	YN21_.	C2g. Going quickly discussed with: friend
190	Q1NEIGHB	Num	8	YN21_.	C2h. Going quickly discussed with: neighbor
191	Q1NURSE	Num	8	YN21_.	C2i. Going quickly discussed with: nurse
193	Q1PRO	Num	8	YN21_.	C2k. Going quickly discussed with: other health prof.
183	Q1REHAB	Num	8	YN21_.	C2a. Going quickly discussed with: cardiac rehab staff
194	Q1SPOUSE	Num	8	YN21_.	C2l. Going quickly discussed with: spouse
240	Q2CASE	Num	8	YN21_.	E6b. Post-hosp, discussed go quickly with: case manager
241	Q2COWORK	Num	8	YN21_.	E6c. Post-hosp, discussed go quickly with: coworker/colleague
245	Q2DK	Num	8	YN21_.	E6g. Post-hosp, discussed go quickly with: don't know
244	Q2DR_DK	Num	8	YN21_.	E6f. Post-hosp, discussed go quickly with: can't specify
243	Q2DR_GP	Num	8	YN21_.	E6e. Post-hosp, discussed go quickly with: PCP
242	Q2DR_HRT	Num	8	YN21_.	E6d. Post-hosp, discussed go quickly with: cardiologist
249	Q2FAMILY	Num	8	YN21_.	E6k. Post-hosp, discussed go quickly with: other family member
246	Q2FRIEND	Num	8	YN21_.	E6h. Post-hosp, discussed go quickly with: friend
247	Q2NEIGHB	Num	8	YN21_.	E6i. Post-hosp, discussed go quickly with: neighbor
248	Q2NURSE	Num	8	YN21_.	E6j. Post-hosp, discussed go quickly with: nurse
250	Q2PRO	Num	8	YN21_.	E6l. Post-hosp, discussed go quickly with: other health prof.
239	Q2REHAB	Num	8	YN21_.	E6a. Post-hosp, discussed go quickly with: cardiac rehab staff
251	Q2SPOUSE	Num	8	YN21_.	E6m. Post-hosp, discussed go quickly with: spouse
145	Q_BEFORE	Num	8	YN21_.	B1a.f. Why go quickly to ED: had symptoms before
140	Q_DOCTOR	Num	8	YN21_.	B1a.a. Why go quickly to ED: advice from doctor
141	Q_FAMILY	Num	8	YN21_.	B1a.b. Why go quickly to ED: advice from family
142	Q_FRIEND	Num	8	YN21_.	B1a.c. Why go quickly to ED: advice of friends/coworkers
147	Q_KNEW	Num	8	YN21_.	B1a.h. Why go quickly to ED: knew it was serious
144	Q_MEDINS	Num	8	YN21_.	B1a.e. Why go quickly to ED: had medical insurance
148	Q_PAIN	Num	8	YN21_.	B1a.i. Why go quickly to ED: pain got worse
146	Q_RISK	Num	8	YN21_.	B1a.g. Why go quickly to ED: can't afford not to
149	Q_SEVERE	Num	8	YN21_.	B1a.j. Why go quickly to ED: symptoms were severe
143	Q_SURE	Num	8	YN21_.	B1a.d. Why go quickly to ED: certainty of heart attack
310	RADIO	Num	8	YN21_.	J1a18. Heard of early action program from: radio
317	RCLREACT	Num	8	RECALL.	J1b. Can you recall the name: REACT?
320	REACT	Num	8	YN21_.	J1d2. Do you recognize the name: Heart Attack REACT?
50	REDEFINE	Num	8	YN21_.	A3u. Before leaving for ED: redefined symptoms
219	REHAB	Num	8	YN21_.	E1. Since left hospital: gone to cardiac rehab?
102	RELATED	Num	8	YN21_.	A9. Did you have other related symptoms (1 wk prior)?
51	REST	Num	8	YN21_.	A3v. Before leaving for ED: rested
308	RX_FLIER	Num	8	YN21_.	J1a16. Heard of early action program from: pharmacy poster/flier
170	S1CCU	Num	8	YN21_.	C1b. Signs/symptoms discussed with: CCU staff
171	S1COWORK	Num	8	YN21_.	C1c. Signs/symptoms discussed with: coworker/colleague
173	S1DK	Num	8	YN21_.	C1e. Signs/symptoms discussed with: don't know
172	S1DOCTOR	Num	8	YN21_.	C1d. Signs/symptoms discussed with: doctor
174	S1ERSTAF	Num	8	YN21_.	C1f. Signs/symptoms discussed with: ER staff
178	S1FAMILY	Num	8	YN21_.	C1j. Signs/symptoms discussed with: other family member
175	S1FRIEND	Num	8	YN21_.	C1g. Signs/symptoms discussed with: friend
176	S1NEIGHB	Num	8	YN21_.	C1h. Signs/symptoms discussed with: neighbor
177	S1NURSE	Num	8	YN21_.	C1i. Signs/symptoms discussed with: nurse

179	S1PRO	Num	8	YN21_.	C1k. Signs/symptoms discussed with: other health prof.
169	S1REHAB	Num	8	YN21_.	C1a. Signs/symptoms discussed with: cardiac rehab staff
180	S1SPOUSE	Num	8	YN21_.	C1l. Signs/symptoms discussed with: spouse
225	S2CASE	Num	8	YN21_.	E5b. Post-hosp, discussed signs with: case manager
226	S2COWORK	Num	8	YN21_.	E5c. Post-hosp, discussed signs with: coworker/colleague

The CONTENTS Procedure

Alphabetic List of Variables and Attributes

#	Variable	Type	Len	Format	Label
230	S2DK	Num	8	YN21_.	E5g. Post-hosp, discussed signs with: don't know
229	S2DR_DK	Num	8	YN21_.	E5f. Post-hosp, discussed signs with: can't specify
228	S2DR_GP	Num	8	YN21_.	E5e. Post-hosp, discussed signs with: PCP
227	S2DR_HRT	Num	8	YN21_.	E5d. Post-hosp, discussed signs with: cardiologist
234	S2FAMILY	Num	8	YN21_.	E5k. Post-hosp, discussed signs with: other family member
231	S2FRIEND	Num	8	YN21_.	E5h. Post-hosp, discussed signs with: friend
232	S2NEIGHB	Num	8	YN21_.	E5i. Post-hosp, discussed signs with: neighbor
233	S2NURSE	Num	8	YN21_.	E5j. Post-hosp, discussed signs with: nurse
235	S2PRO	Num	8	YN21_.	E5l. Post-hosp, discussed signs with: other health prof.
224	S2REHAB	Num	8	YN21_.	E5a. Post-hosp, discussed signs with: cardiac rehab staff
236	S2SPOUSE	Num	8	YN21_.	E5m. Post-hosp, discussed signs with: spouse
311	SCHOOL	Num	8	YN21_.	J1a19. Heard of early action program from: school/class
221	SEENCARD	Num	8	YN21_.	E3. Since left hospital: met with cardiologist?
222	SEENDR	Num	8	YN21_.	E4. Since left hospital: seen primary care doctor?
312	SELFHELP	Num	8	YN21_.	J1a20. Heard of early action program from: clinic/group
313	SIGNS	Num	8	YN21_.	J1a21. Heard of early action program from: signs
2	SITE	Char	1		'De-identified' Site ID
314	SOCIAL	Num	8	YN21_.	J1a22. Heard of early action program from: social group
297	SOURC_DR	Num	8	YN21_.	J1a5. Heard of early action program from: doctor
298	SOURC_FA	Num	8	YN21_.	J1a6. Heard of early action program from: family member
299	SOURC_FR	Num	8	YN21_.	J1a7. Heard of early action program from: friend/coworker
300	SOURC_HO	Num	8	YN21_.	J1a8. Heard of early action program from: hospital
1	SUBJECT_ID	Char	10		'De-identified' Subject ID number
168	SYMPTOM1	Num	8	YN21_.	C1. In hospital, who talked with you about sings/symptoms?
223	SYMPTOM2	Num	8	YN21_.	E5. Since left hospital: talked with anyone re: signs/symptoms?
255	S_ABPAIN	Num	8	YN21_.	F3a. Knowledge of symptoms: abdominal pain
273	S_ARMN	Num	8	YN21_.	F3s. Knowledge of symptoms: tingling arm/hand
256	S_ARMP	Num	8	YN21_.	F3b. Knowledge of symptoms: arm/shoulder pain
257	S_BACK	Num	8	YN21_.	F3c. Knowledge of symptoms: back pain
275	S_BREATH	Num	8	YN21_.	F3u. Knowledge of symptoms: difficulty breathing
261	S_CHDISC	Num	8	YN21_.	F3g. Knowledge of symptoms: chest discomfort
258	S_CHPAIN	Num	8	YN21_.	F3d. Knowledge of symptoms: chest pain
259	S_CHPRES	Num	8	YN21_.	F3e. Knowledge of symptoms: chest pressure
260	S_CHTIGH	Num	8	YN21_.	F3f. Knowledge of symptoms: chest tightness
262	S_COUGH	Num	8	YN21_.	F3h. Knowledge of symptoms: cough
263	S_DIZZY	Num	8	YN21_.	F3i. Knowledge of symptoms: dizzy/lightheaded
268	S_DOOM	Num	8	YN21_.	F3n. Knowledge of symptoms: impending doom
270	S_FAINT	Num	8	YN21_.	F3p. Knowledge of symptoms: fainting
266	S_HEAD	Num	8	YN21_.	F3l. Knowledge of symptoms: headache
267	S_INDIG	Num	8	YN21_.	F3m. Knowledge of symptoms: heartburn/indigestion
269	S_JAW	Num	8	YN21_.	F3o. Knowledge of symptoms: jaw pain
265	S_LOUSY	Num	8	YN21_.	F3k. Knowledge of symptoms: feel lousy/blah
271	S_NAUSEA	Num	8	YN21_.	F3q. Knowledge of symptoms: nausea/vomiting
272	S_NECK	Num	8	YN21_.	F3r. Knowledge of symptoms: neck pain
264	S_NOIDEA	Num	8	YN21_.	F3j. Knowledge of symptoms: no idea
274	S_PALP	Num	8	YN21_.	F3t. Knowledge of symptoms: palpitations
276	S_SWEAT	Num	8	YN21_.	F3v. Knowledge of symptoms: sweating

277	S_WEAK	Num	8	YN21_.	F3w. Knowledge of symptoms: weak/fatigue/faint
37	TALK_DR	Num	8	YN21_.	A3h. Before leaving for ED: talk w/ doctor
34	TRANQ	Num	8	YN21_.	A3e. Before leaving for ED: take tranquilizer
315	TV	Num	8	YN21_.	J1a23. Heard of early action program from: television
65	ULCER1	Num	8	YN21_.	A4l. Attributed cause to: ulcer

The CONTENTS Procedure

Alphabetic List of Variables and Attributes

#	Variable	Type	Len	Format	Label
137	ULCER2	Num	8	YN21_.	A10l. Reason reported for symptoms: ulcer
331	UNUSUAL	Num	8	YN21_.	N6. Any unusual circumstances during interview?
285	WAIT	Num	8	BELIEF.	H3. Agreement scale: Would wait until very sure before going to ED
52	WAITED	Num	8	YN21_.	A3w. Before leaving for ED: wait and see
151	WAITED2	Num	8	YN21_.	B2. Factors causing delay in going to hospital
279	WHATTODO	Num	8	YN21_.	F4. Do you know what to do if having a heart attack?
287	WOMEN	Num	8	TF.	I1a. True/false: CHD #1 death in US women (true)
155	W_AFRAD	Num	8	YN21_.	B2a.d. Why wait to go to ED: afraid of treatment
156	W_CHILD	Num	8	YN21_.	B2a.e. Why wait to go to ED: childcare
157	W_COST	Num	8	YN21_.	B2a.f. Why wait to go to ED: cost of medical care
152	W_DOCTOR	Num	8	YN21_.	B2a.a. Why wait to go to ED: advice from doctor
159	W_EMBARR	Num	8	YN21_.	B2a.h. Why wait to go to ED: embarrassed if false alarm
153	W_FAMILY	Num	8	YN21_.	B2a.b. Why wait to go to ED: advice from family
160	W_FEARDR	Num	8	YN21_.	B2a.i. Why wait to go to ED: fear of hospitals/doctors
154	W_FRIEND	Num	8	YN21_.	B2a.c. Why wait to go to ED: advice of friends/coworkers
161	W_GOAWAY	Num	8	YN21_.	B2a.j. Why wait to go to ED: prior experience
163	W_MEDINS	Num	8	YN21_.	B2a.l. Why wait to go to ED: lack medical insurance
165	W_PHONE	Num	8	YN21_.	B2a.n. Why wait to go to ED: wait to hear back from provider
164	W_SEVERE	Num	8	YN21_.	B2a.m. Why wait to go to ED: symptoms not severe enough
162	W_STAFF	Num	8	YN21_.	B2a.k. Why wait to go to ED: lack confidence in hospital staff
158	W_UNREL	Num	8	YN21_.	B2a.g. Why wait to go to ED: thought symptoms not CHD-related
166	W_WORK	Num	8	YN21_.	B2a.o. Why wait to go to ED: would lose pay from work
281	YOURSELF	Num	8	KNOW.	G2. How sure are you: Know signs of heart attack in yourself?
138	a10_other	Num	8	YN21_.	A10m. Reason reported for symptoms: other
29	a1_other	Num	8	YN21_.	A1w. Symptom prompting ED visit: other
53	a3_other	Num	8	YN21_.	A3x. Before leaving for ED: other
66	a4_other	Num	8	YN21_.	A4m. Attributed cause to: other
92	a5a_other	Num	8	YN21_.	A5m.a. Decision to go to ER: other
93	a5b_other	Num	8	YN21_.	A5m.b. Encouraged to go to ER: other
100	a6_other	Num	8	YN21_.	A6c.e. Reason didn't call 911: other
125	a9a_other	Num	8	YN21_.	A9a.w. Other related symptoms (1 wk prior): other
150	b1a_other	Num	8	YN21_.	B1a.k. Why go quickly to ED: other
167	b2a_other	Num	8	YN21_.	B2a.p. Why wait to go to ED: other
181	c1a_other	Num	8	YN21_.	C1m. Signs/symptoms discussed with: other
195	c2a_other	Num	8	YN21_.	C2m. Going quickly discussed with: other
101	call2leave	Num	8	DELAY2_.	<A7 Surrogate> Length of time from calling 911 until left for ED
217	d1a_other	Num	8	YN21_.	D1a9. Discussed plan with: other
218	d1b_other	Num	8	YN21_.	D1b9. Planned 6-mos prior with: other
237	e5a_other	Num	8	YN21_.	E5n. Post-hosp, discussed signs with: other
252	e6a_other	Num	8	YN21_.	E6n. Post-hosp, discussed go quickly with: other
278	f3_other	Num	8	YN21_.	F3x. Knowledge of symptoms: other
316	j1a_other	Num	8	YN21_.	J1a24. Heard of early action program from: other
95	onset2call911	Num	8	DELAY2_.	<A6a-b Surrogate> Length of time from symptom onset until 911 call
6	phase	Num	8	PHASE.	<created var> 1=Baseline 2=Follow-up

Sort Information

Sortedby SUBJECT_ID
Validated YES
Character Set ANSI

The CONTENTS Procedure

Data Set Name	IN.LOCATOR	Observations	52049
Member Type	DATA	Variables	12
Engine	V9	Indexes	0
Created	9:00 Friday, November 18, 2005	Observation Length	72
Last Modified	9:00 Friday, November 18, 2005	Deleted Observations	0
Protection		Compressed	NO
Data Set Type		Sorted	YES
Label			
Data Representation	WINDOWS		
Encoding	wlatin1 Western (Windows)		

Engine/Host Dependent Information

Data Set Page Size	8192
Number of Data Set Pages	461
First Data Page	1
Max Obs per Page	113
Obs in First Data Page	77
Number of Data Set Repairs	0
File Name	REACT\7. Limited Access Datasets\locator.sas7bdat
Release Created	9.0101M0
Host Created	XP_PRO

Alphabetic List of Variables and Attributes

#	Variable	Type	Len	Format	Label
4	COMMUNITY	Char	2		'De-identified' Community ID
10	ELIGIBLE	Num	8	YN12_.	B7. Patient eligible for REACT study
11	GENDER	Num	8	GENDER.	C5. Gender
5	GROUP	Char	1		I=intervention community, C=control community
3	PAIR	Char	2		'De-identified' Pair Number
2	SITE	Char	1		'De-identified' Site ID
1	SUBJECT_ID	Char	10		'De-identified' Subject ID number
9	TRANSFER	Num	8	YN12_.	B3. Transferred from another hospital
8	age	Num	8		<B2 Surrogate> Subject's Age
7	eligzip	Num	8	YN12_.	<B1 Surrogate> Subject resides in an eligible zipcode area
6	phase	Num	8	PHASE.	<created var> 1=Baseline 2=Follow-up
12	white	Num	8	YN12_.	<C6 Surrogate> White

Sort Information

Sortedby	SUBJECT_ID
Validated	YES
Character Set	ANSI

The CONTENTS Procedure

Data Set Name	IN.RDD_SURVEYS	Observations	4389
Member Type	DATA	Variables	280
Engine	V9	Indexes	0
Created	9:07 Friday, November 18, 2005	Observation Length	2224
Last Modified	9:07 Friday, November 18, 2005	Deleted Observations	0
Protection		Compressed	NO
Data Set Type		Sorted	YES
Label			
Data Representation	WINDOWS		
Encoding	wlatin1 Western (Windows)		

Engine/Host Dependent Information

Data Set Page Size	16384
Number of Data Set Pages	630
First Data Page	3
Max Obs per Page	7
Obs in First Data Page	3
Number of Data Set Repairs	0
File Name	REACT\7. Limited Access Datasets\rdd_surveys.sas7bdat
Release Created	9.0101M0
Host Created	XP_PRO

Alphabetic List of Variables and Attributes

#	Variable	Type	Len	Format	Label
135	ADMIN CPR	Num	8	YN21_.	D2.1: If witness to heart attack, would you: Administer CPR?
213	AFTER15	Num	8	BELIEF.	J4: (Agreement scale) Go to ED if pain for > 15 minutes
256	AGEGROUP	Num	8	AGEGROUP.	L2a: Age Group
204	ALERT	Num	8	YN21_.	H1c.3: Do you recognize the name HEART ALERT?
270	AMB_PAID	Num	8	YN21_.	L11a.a: Insurance pays part of ambulance service
14	A_BILL	Num	8	YN21_.	C2a.1: Message A from: Billboard
15	A_BOOK	Num	8	YN21_.	C2a.2: Message A from: Book
16	A_CHURCH	Num	8	YN21_.	C2a.3: Message A from: Church
17	A_CIVIC	Num	8	YN21_.	C2a.4: Message A from: Civic Organization
18	A_DOCTOR	Num	8	YN21_.	C2a.5: Message A from: Doctor
19	A_FAMILY	Num	8	YN21_.	C2a.6: Message A from: Family Member
20	A_FRIEND	Num	8	YN21_.	C2a.7: Message A from: Friend, Co-Worker
21	A_HOSP	Num	8	YN21_.	C2a.8: Message A from: Hospital
23	A_MAG	Num	8	YN21_.	C2a.10: Message A from: Magazine
22	A_MAIL	Num	8	YN21_.	C2a.9: Message A from: Mailing
24	A_MALL	Num	8	YN21_.	C2a.11: Message A from: Mall Event
27	A_ORG	Num	8	YN21_.	C2a.14: Message A from: Other Healthcare Organization
37	A_OTHER	Num	8	YN21_.	C2a.24: Message A from: Other
28	A_PAMPH	Num	8	YN21_.	C2a.15: Message A from: Pamphlet
25	A_PAPER	Num	8	YN21_.	C2a.12: Message A from: Newspaper
29	A_PHARM	Num	8	YN21_.	C2a.16: Message A from: Pharmacy Poster/Flier
30	A_POSTER	Num	8	YN21_.	C2a.17: Message A from: Poster

26	A_PROF	Num	8	YN21_.	C2a.13: Message A from: Other Health Professional
31	A_RADIO	Num	8	YN21_.	C2a.18: Message A from: Radio
32	A_SCHOOL	Num	8	YN21_.	C2a.19: Message A from: School, Class, Lecture
33	A_SELF	Num	8	YN21_.	C2a.20: Message A from: Self-Help Clinic/Group
34	A_SIGNS	Num	8	YN21_.	C2a.21: Message A from: Signs

The CONTENTS Procedure

Alphabetic List of Variables and Attributes

#	Variable	Type	Len	Format	Label
35	A_SOCIAL	Num	8	YN21_.	C2a.22: Message A from: Social/Recreation Group
36	A_TV	Num	8	YN21_.	C2a.23: Message A from: Television
214	BE_EMBAR	Num	8	BELIEF.	J5: (Agreement scale) Embarrassed at hospital if false alarm
177	BILLBOAR	Num	8	YN21_.	H1.1: Awareness of community programs: Billboard
208	BLACK	Num	8	TF.	I1.d: Younger Blacks have higher risk than younger whites (true)
178	BOOK	Num	8	YN21_.	H1.2: Awareness of community programs: Book
38	B_BILL	Num	8	YN21_.	C2b.1: Message B from: Billboard
39	B_BOOK	Num	8	YN21_.	C2b.2: Message B from: Book
40	B_CHURCH	Num	8	YN21_.	C2b.3: Message B from: Church
41	B_CIVIC	Num	8	YN21_.	C2b.4: Message B from: Civic Organization
42	B_DOCTOR	Num	8	YN21_.	C2b.5: Message B from: Doctor
43	B_FAMILY	Num	8	YN21_.	C2b.6: Message B from: Family Member
44	B_FRIEND	Num	8	YN21_.	C2b.7: Message B from: Friend, Co-Worker
45	B_HOSP	Num	8	YN21_.	C2b.8: Message B from: Hospital
47	B_MAG	Num	8	YN21_.	C2b.10: Message B from: Magazine
46	B_MAIL	Num	8	YN21_.	C2b.9: Message B from: Mailing
48	B_MALL	Num	8	YN21_.	C2b.11: Message B from: Mall Event
51	B_ORG	Num	8	YN21_.	C2b.14: Message B from: Other Healthcare Organization
61	B_OTHER	Num	8	YN21_.	C2b.24: Message B from: Other
52	B_PAMPH	Num	8	YN21_.	C2b.15: Message B from: Pamphlet
49	B_PAPER	Num	8	YN21_.	C2b.12: Message B from: Newspaper
53	B_PHARM	Num	8	YN21_.	C2b.16: Message B from: Pharmacy Poster/Flier
54	B_POSTER	Num	8	YN21_.	C2b.17: Message B from: Poster
50	B_PROF	Num	8	YN21_.	C2b.13: Message B from: Other Health Professional
55	B_RADIO	Num	8	YN21_.	C2b.18: Message B from: Radio
56	B_SCHOOL	Num	8	YN21_.	C2b.19: Message B from: School, Class, Lecture
57	B_SELF	Num	8	YN21_.	C2b.20: Message B from: Self-Help Clinic/Group
58	B_SIGNS	Num	8	YN21_.	C2b.21: Message B from: Signs
59	B_SOCIAL	Num	8	YN21_.	C2b.22: Message B from: Social/Recreation Group
60	B_TV	Num	8	YN21_.	C2b.23: Message B from: Television
140	CALL911	Num	8	YN21_.	D2.6: If witness to heart attack, would you: Call 911/ambululance?
142	CALL_DR	Num	8	YN21_.	D2.8: If witness to heart attack, would you: Call their doctor?
141	CALL_FAM	Num	8	YN21_.	D2.7: If witness to heart attack, would you: Call spouse/family?
137	CALL_PHY	Num	8	YN21_.	D2.3: If witness to heart attack, would you: Advise call PCP?
273	CARDEVER	Num	8	YN21_.	L13: Ever seen a cardiologist
179	CHURCH	Num	8	YN21_.	H1.3: Awareness of community programs: Church
180	CIVICORG	Num	8	YN21_.	H1.4: Awareness of community programs: Civic organization
275	COMFORT	Num	8	COMFORT.	N1: Comfort Level of Respondent
202	COMMITT	Num	8	YN21_.	H1c.1: Do you recognize the name COMMITT?
5	COMMUNITY	Char	2		'De-identified' Community ID
134	CONCERN	Num	8	MESSAGES.	D1: Greatest health concern right now
276	COOPERAT	Num	8	COOP.	N2: Degree of Cooperation of Respondent
8	COVERAGE	Num	8	COVERAGE.	C1: Amount of information on health in the media over past year
211	CRUSHING	Num	8	BELIEF.	J2: (Agreement scale) Most have crushing, severe chest pain
62	C_BILL	Num	8	YN21_.	C2c.1: Message C from: Billboard
63	C_BOOK	Num	8	YN21_.	C2c.2: Message C from: Book
64	C_CHURCH	Num	8	YN21_.	C2c.3: Message C from: Church

65	C_CIVIC	Num	8	YN21_.	C2c.4: Message C from: Civic Organization
66	C_DOCTOR	Num	8	YN21_.	C2c.5: Message C from: Doctor
67	C_FAMILY	Num	8	YN21_.	C2c.6: Message C from: Family Member
68	C_FRIEND	Num	8	YN21_.	C2c.7: Message C from: Friend, Co-Worker
69	C_HOSP	Num	8	YN21_.	C2c.8: Message C from: Hospital

The CONTENTS Procedure

Alphabetic List of Variables and Attributes

#	Variable	Type	Len	Format	Label
71	C_MAG	Num	8	YN21_.	C2c.10: Message C from: Magazine
70	C_MAIL	Num	8	YN21_.	C2c.9: Message C from: Mailing
72	C_MALL	Num	8	YN21_.	C2c.11: Message C from: Mall Event
75	C_ORG	Num	8	YN21_.	C2c.14: Message C from: Other Healthcare Organization
85	C_OTHER	Num	8	YN21_.	C2c.24: Message C from: Other
76	C_PAMPH	Num	8	YN21_.	C2c.15: Message C from: Pamphlet
73	C_PAPER	Num	8	YN21_.	C2c.12: Message C from: Newspaper
77	C_PHARM	Num	8	YN21_.	C2c.16: Message C from: Pharmacy Poster/Flier
78	C_POSTER	Num	8	YN21_.	C2c.17: Message C from: Poster
74	C_PROF	Num	8	YN21_.	C2c.13: Message C from: Other Health Professional
79	C_RADIO	Num	8	YN21_.	C2c.18: Message C from: Radio
80	C_SCHOOL	Num	8	YN21_.	C2c.19: Message C from: School, Class, Lecture
81	C_SELF	Num	8	YN21_.	C2c.20: Message C from: Self-Help Clinic/Group
82	C_SIGNS	Num	8	YN21_.	C2c.21: Message C from: Signs
83	C_SOCIAL	Num	8	YN21_.	C2c.22: Message C from: Social/Recreation Group
84	C_TV	Num	8	YN21_.	C2c.23: Message C from: Television
210	DRIVE	Num	8	BELIEF.	J1: (Agreement scale) You should drive yourself to the hospital
143	DRIVHOSP	Num	8	YN21_.	D2.9: If witness to heart attack, would you: Drive them to ED?
272	DRPASTYR	Num	8	YN21_.	L12a: Visited doctor in the past year
207	DRUGS	Num	8	TF.	I1.c: Hospitals have drugs to reduce damage to heart muscle (true)
86	D_BILL	Num	8	YN21_.	C2d.1: Message D from: Billboard
87	D_BOOK	Num	8	YN21_.	C2d.2: Message D from: Book
88	D_CHURCH	Num	8	YN21_.	C2d.3: Message D from: Church
89	D_CIVIC	Num	8	YN21_.	C2d.4: Message D from: Civic Organization
90	D_DOCTOR	Num	8	YN21_.	C2d.5: Message D from: Doctor
91	D_FAMILY	Num	8	YN21_.	C2d.6: Message D from: Family Member
92	D_FRIEND	Num	8	YN21_.	C2d.7: Message D from: Friend, Co-Worker
93	D_HOSP	Num	8	YN21_.	C2d.8: Message D from: Hospital
95	D_MAG	Num	8	YN21_.	C2d.10: Message D from: Magazine
94	D_MAIL	Num	8	YN21_.	C2d.9: Message D from: Mailing
96	D_MALL	Num	8	YN21_.	C2d.11: Message D from: Mall Event
99	D_ORG	Num	8	YN21_.	C2d.14: Message D from: Other Healthcare Organization
109	D_OTHER	Num	8	YN21_.	C2d.24: Message D from: Other
100	D_PAMPH	Num	8	YN21_.	C2d.15: Message D from: Pamphlet
97	D_PAPER	Num	8	YN21_.	C2d.12: Message D from: Newspaper
101	D_PHARM	Num	8	YN21_.	C2d.16: Message D from: Pharmacy Poster/Flier
102	D_POSTER	Num	8	YN21_.	C2d.17: Message D from: Poster
98	D_PROF	Num	8	YN21_.	C2d.13: Message D from: Other Health Professional
103	D_RADIO	Num	8	YN21_.	C2d.18: Message D from: Radio
104	D_SCHOOL	Num	8	YN21_.	C2d.19: Message D from: School, Class, Lecture
105	D_SELF	Num	8	YN21_.	C2d.20: Message D from: Self-Help Clinic/Group
106	D_SIGNS	Num	8	YN21_.	C2d.21: Message D from: Signs
107	D_SOCIAL	Num	8	YN21_.	C2d.22: Message D from: Social/Recreation Group
108	D_TV	Num	8	YN21_.	C2d.23: Message D from: Television
271	ED_PAID	Num	8	YN21_.	L11a.b: Insurance pays part of ED visits
246	EVERATTK	Num	8	YN21_.	K2: Have you ever had a heart attack?
155	EVERPLAN	Num	8	YN21_.	G1: Ever discuss with anyone what to do if having a heart attack?

253	EVERSMOK	Num	8	YN21_.	K9: Have you ever smoked cigarettes?
110	E_BILL	Num	8	YN21_.	C2e.1: Message E from: Billboard
111	E_BOOK	Num	8	YN21_.	C2e.2: Message E from: Book
112	E_CHURCH	Num	8	YN21_.	C2e.3: Message E from: Church
113	E_CIVIC	Num	8	YN21_.	C2e.4: Message E from: Civic Organization

The CONTENTS Procedure

Alphabetic List of Variables and Attributes

#	Variable	Type	Len	Format	Label
114	E_DOCTOR	Num	8	YN21_.	C2e.5: Message E from: Doctor
115	E_FAMILY	Num	8	YN21_.	C2e.6: Message E from: Family Member
116	E_FRIEND	Num	8	YN21_.	C2e.7: Message E from: Friend, Co-Worker
117	E_HOSP	Num	8	YN21_.	C2e.8: Message E from: Hospital
119	E_MAG	Num	8	YN21_.	C2e.10: Message E from: Magazine
118	E_MAIL	Num	8	YN21_.	C2e.9: Message E from: Mailing
120	E_MALL	Num	8	YN21_.	C2e.11: Message E from: Mall Event
123	E_ORG	Num	8	YN21_.	C2e.14: Message E from: Other Healthcare Organization
133	E_OTHER	Num	8	YN21_.	C2e.24: Message E from: Other
124	E_PAMPH	Num	8	YN21_.	C2e.15: Message E from: Pamphlet
121	E_PAPER	Num	8	YN21_.	C2e.12: Message E from: Newspaper
125	E_PHARM	Num	8	YN21_.	C2e.16: Message E from: Pharmacy Poster/Flier
126	E_POSTER	Num	8	YN21_.	C2e.17: Message E from: Poster
122	E_PROF	Num	8	YN21_.	C2e.13: Message E from: Other Health Professional
127	E_RADIO	Num	8	YN21_.	C2e.18: Message E from: Radio
128	E_SCHOOL	Num	8	YN21_.	C2e.19: Message E from: School, Class, Lecture
129	E_SELF	Num	8	YN21_.	C2e.20: Message E from: Self-Help Clinic/Group
130	E_SIGNS	Num	8	YN21_.	C2e.21: Message E from: Signs
131	E_SOCIAL	Num	8	YN21_.	C2e.22: Message E from: Social/Recreation Group
132	E_TV	Num	8	YN21_.	C2e.23: Message E from: Television
247	FAM_HX	Num	8	YN21_.	K3: Spouse, parents, or sibling had a heart attack?
255	GENDER	Num	8	GENDER.	L1: 1=Male 2=Female
144	GETHELP	Num	8	YN21_.	D2.10: If witness to heart attack, would you: Get help?
152	GETHELP1	Num	8	KNOW.	E4: How sure you could get help for someone else?
153	GETHELP2	Num	8	KNOW.	E5: How sure you could get help for yourself?
136	GETHOSP	Num	8	YN21_.	D2.2: If witness to heart attack, would you: Advise get to ED?
146	HATTOTH	Num	8	YN21_.	D2.12: If witness to heart attack, would you: Other?
245	HEALTH	Num	8	HEALTH.	K1: General Health
252	HICHOL	Num	8	YN21_.	K8: Ever told by a physician you have high cholesterol?
209	HISPANIC	Num	8	TF.	I1.e: Younger Hispanics have higher risk than younger whites (false)
190	HLTH_ORG	Num	8	YN21_.	H1.14: Awareness of community programs: Health Organization
189	HLTH_PRO	Num	8	YN21_.	H1.13: Awareness of community programs: Health Professional
267	HMO_IPA	Num	8	YN21_.	L11.e: HMO or IPA
277	HOWHARD1	Num	8	DIFF.	N3: How Difficult for Respondent to Answer Questions
278	HOWHARD2	Num	8	YN21_.	N4: Did Respondent Have Difficulty with Any Questions
259	INCOME	Num	8	INCOME.	L6: Total household income
149	INOTHERS	Num	8	KNOW.	E1: How sure you would know the signs/symptoms in someone else?
151	KNOWSIGN	Num	8	KNOW.	E3: How sure you could discern the signs/symptoms?
138	LIE_DOWN	Num	8	YN21_.	D2.4: If witness to heart attack, would you: Advise lie down?
186	MAGAZINE	Num	8	YN21_.	H1.10: Awareness of community programs: Magazine
185	MAILING	Num	8	YN21_.	H1.9: Awareness of community programs: Mailing
145	MAKECOMF	Num	8	YN21_.	D2.11: If witness to heart attack, would you: Make them comfortable?
187	MALL	Num	8	YN21_.	H1.11: Awareness of community programs: Mall Event
261	MARITAL	Num	8	MARITAL.	L8: Marital status
176	MID_ADS	Num	8	YN21_.	H1: Aware of community programs in past month?
279	MISLED	Num	8	YN21_.	N5: Respondent Gave Inaccurate/Misleading Information
188	NEWSPAP	Num	8	YN21_.	H1.12: Awareness of community programs: Newspaper

154	NEXT5YRS	Num	8	LIKELY.	F1: Likelihood of heart attack in next 5 years vs others your age?
216	NO_EMT	Num	8	BELIEF.	J7: (Agreement scale) Don't use an ambulance service
269	OTHERINS	Num	8	YN21_.	L11.i: Other insurance
200	OTHERWAY	Num	8	YN21_.	H1.24: Awareness of community programs: Other
206	OVER65	Num	8	TF.	I1.b: Almost all heart attacks occur in those aged 65+ (false)

The CONTENTS Procedure

Alphabetic List of Variables and Attributes

#	Variable	Type	Len	Format	Label
157	P3COWORK	Num	8	YN21_.	G1b.1: Planned within past 3 months with: Co-worker
167	P3FAMILY	Num	8	YN21_.	G1b.6: Planned within past 3 months with: Other family member
159	P3FRIEND	Num	8	YN21_.	G1b.2: Planned within past 3 months with: Friend
163	P3NEIGHB	Num	8	YN21_.	G1b.4: Planned within past 3 months with: Neighbor
165	P3NURSE	Num	8	YN21_.	G1b.5: Planned within past 3 months with: Nurse
169	P3PRO	Num	8	YN21_.	G1b.7: Planned within past 3 months with: Health professional
173	P3SPOUSE	Num	8	YN21_.	G1b.9: Planned within past 3 months with: Spouse
171	P3_DR	Num	8	YN21_.	G1b.8: Planned within past 3 months with: Physician
161	P3_EDUC	Num	8	YN21_.	G1b.3: Planned within past 3 months with: Health educator
175	P3_OTH	Num	8	YN21_.	G1b.10: Planned within past 3 months with: Other
4	PAIR	Char	2		'De-identified' Pair Number
191	PAMPHLET	Num	8	YN21_.	H1.15: Awareness of community programs: Pamphlet
156	PCOWORK	Num	8	YN21_.	G1a.1: Planned with: Co-worker
166	PFAMILY	Num	8	YN21_.	G1a.6: Planned with: Other family member
158	PFRIEND	Num	8	YN21_.	G1a.2: Planned with: Friend
162	PNEIGHB	Num	8	YN21_.	G1a.4: Planned with: Neighbor
164	PNURSE	Num	8	YN21_.	G1a.5: Planned with: Nurse
263	POSITION	Num	8	POS.	L9a: If Not Working, What Best Describes You
193	POSTER	Num	8	YN21_.	H1.17: Awareness of community programs: Poster
168	PPRO	Num	8	YN21_.	G1a.7: Planned with: Health professional
266	PRIVATE	Num	8	YN21_.	L11.d: Commercial or private insurance
172	PSPOUSE	Num	8	YN21_.	G1a.9: Planned with: Spouse
170	P_DR	Num	8	YN21_.	G1a.8: Planned with: Physician
160	P_EDUC	Num	8	YN21_.	G1a.3: Planned with: Health educator
174	P_OTH	Num	8	YN21_.	G1a.10: Planned with: Other
194	RADIO	Num	8	YN21_.	H1.18: Awareness of community programs: Radio
2	RDD_ID	Char	10		'De-identified' RDD Survey ID
203	REACT	Num	8	YN21_.	H1c.2: Do you recognize the name REACT?
201	RECALL	Num	8	RECALL.	H1b: Can you recall the name of the community program?
9	RECALL_A	Num	8	MESSAGES.	C2.a: Past Month--Health Related Message A
10	RECALL_B	Num	8	MESSAGES.	C2.b: Past Month--Health Related Message B
11	RECALL_C	Num	8	MESSAGES.	C2.c: Past Month--Health Related Message C
12	RECALL_D	Num	8	MESSAGES.	C2.d: Past Month--Health Related Message D
13	RECALL_E	Num	8	MESSAGES.	C2.e: Past Month--Health Related Message E
248	REL_HX	Num	8	YN21_.	K4: Any other close relatives had a heart attack?
192	RX_FLIER	Num	8	YN21_.	H1.16: Awareness of community programs: Pharmacy Poster
195	SCHOOL	Num	8	YN21_.	H1.19: Awareness of community programs: School/Class
196	SELFHELP	Num	8	YN21_.	H1.20: Awareness of community programs: Clinic/Group
218	SHOULDGO	Num	8	BELIEF.	J9: (Agreement scale) Should go to ED even if unsure
197	SIGNS	Num	8	YN21_.	H1.21: Awareness of community programs: Signs
3	SITE	Char	1		'De-identified' Site ID
254	SMOKWEEK	Num	8	YN21_.	K9a: Have you smoked in the past week?
198	SOCIAL	Num	8	YN21_.	H1.22: Awareness of community programs: Social Group
181	SOURC_DR	Num	8	YN21_.	H1.5: Awareness of community programs: Doctor
182	SOURC_FA	Num	8	YN21_.	H1.6: Awareness of community programs: Family member
183	SOURC_FR	Num	8	YN21_.	H1.7: Awareness of community programs: Friend/Coworker
184	SOURC_HO	Num	8	YN21_.	H1.8: Awareness of community programs: Hospital

148	STILL911	Num	8	KNOW.	D4: How sure you would call 911 for someone else if asked not to?
244	SYMPTOM	Num	8	SYMPTOMS.	J11a: Most important sign of a heart attack
220	S_ABPAIN	Num	8	YN21_.	J11.1: Signs of a Heart Attack: Abdominal Pain
238	S_ARMN	Num	8	YN21_.	J11.19: Signs of a Heart Attack: Numbness in Arm/Hand
221	S_ARMP	Num	8	YN21_.	J11.2: Signs of a Heart Attack: Arm/Shoulder Pain

The CONTENTS Procedure

Alphabetic List of Variables and Attributes

#	Variable	Type	Len	Format	Label
222	S_BACK	Num	8	YN21_.	J11.3: Signs of a Heart Attack: Back Pain
240	S_BREATH	Num	8	YN21_.	J11.21: Signs of a Heart Attack: Shortness of Breath
226	S_CHDISC	Num	8	YN21_.	J11.7: Signs of a Heart Attack: Chest Discomfort
223	S_CHPAIN	Num	8	YN21_.	J11.4: Signs of a Heart Attack: Chest Pain
224	S_CHPRES	Num	8	YN21_.	J11.5: Signs of a Heart Attack: Chest Pressure
225	S_CHTIGH	Num	8	YN21_.	J11.6: Signs of a Heart Attack: Chest Tightness
227	S_COUGH	Num	8	YN21_.	J11.8: Signs of a Heart Attack: Cough
228	S_DIZZY	Num	8	YN21_.	J11.9: Signs of a Heart Attack: Dizziness
233	S_DOOM	Num	8	YN21_.	J11.14: Signs of a Heart Attack: Impending Doom
235	S_FAINT	Num	8	YN21_.	J11.16: Signs of a Heart Attack: Loss of Consciousness
231	S_HEAD	Num	8	YN21_.	J11.12: Signs of a Heart Attack: Headache
232	S_INDIG	Num	8	YN21_.	J11.13: Signs of a Heart Attack: Heartburn/Indigestion
234	S_JAW	Num	8	YN21_.	J11.15: Signs of a Heart Attack: Jaw Pain
230	S_LOUSY	Num	8	YN21_.	J11.11: Signs of a Heart Attack: Feel Lousy
236	S_NAUSEA	Num	8	YN21_.	J11.17: Signs of a Heart Attack: Nausea/Vomiting
237	S_NECK	Num	8	YN21_.	J11.18: Signs of a Heart Attack: Neck Pain
229	S_NOIDEA	Num	8	YN21_.	J11.10: Signs of a Heart Attack: Don't Know
243	S_OTHER	Num	8	YN21_.	J11.24: Signs of a Heart Attack: Other
239	S_PALP	Num	8	YN21_.	J11.20: Signs of a Heart Attack: Palpitations
241	S_SWEAT	Num	8	YN21_.	J11.22: Signs of a Heart Attack: Sweating
242	S_WEAK	Num	8	YN21_.	J11.23: Signs of a Heart Attack: Weakness/Fatigue
139	TAKE_MED	Num	8	YN21_.	D2.5: If witness to heart attack, would you: Advise Aspirin/Meds?
250	TOLDDIAB	Num	8	YN21_.	K6: Ever told by a physician you have diabetes?
249	TOLDHRT	Num	8	YN21_.	K5: Ever told by a physician you have a heart condition?
251	TOLDHTN	Num	8	YN21_.	K7: Ever told by a physician you have high blood pressure?
199	TV	Num	8	YN21_.	H1.23: Awareness of community programs: Television
280	UNUSUAL	Num	8	YN21_.	N6: Unusual Circumstances during Interview
215	WAIT	Num	8	BELIEF.	J6: (Agreement scale) Wait until very sure before going to ED
217	WAITTOGO	Num	8	BELIEF.	J8: (Agreement scale) Delay hospital visit due to cost of care
205	WOMEN	Num	8	TF.	I1.a: Heart disease is the leading cause of death in US women (true)
212	WOMEN2	Num	8	BELIEF.	J3: (Agreement scale) Women rarely have heart attacks
262	WORKING	Num	8	YN21_.	L9: Currently Working for Pay
147	WOULD911	Num	8	KNOW.	D3: How sure you would call 911 for someone else?
219	WOULDGO	Num	8	BELIEF.	J10: (Agreement scale) Would go to hospital right away
150	YOURSELF	Num	8	KNOW.	E2: How sure you would know the signs/symptoms in yourself?
268	combined_ins	Num	8	YN21_.	<L11c, f-h Surrogate> Medicaid, Military, student, free
258	educ5	Num	8	EDUC5_.	<L5 Surrogate> Education
7	group	Char	1		I=intervention community, C=control community
264	hh_total3	Char	12		<L10 Surrogate> Number of adults in this household: 1, 2, or 3+
265	medicare2	Num	8	YN21_.	<L11a Surrogate> Medicare or medicare supplement
260	resided	Num	8	RESIDED.	<L7 Surrogate> Years lived in community: 0-19, 20-39, 40-59, 60-79
1	sample_wt	Num	8		Sample weight to compensate for unequal selection probabilities
274	visitlen2	Num	8	VISITLEN2_.	<L13a Surrogate> Months since last saw cardiologist: <12 vs. 12+
6	wave	Num	8		1(n=1294) 2(n=1261) 3(n=630) 4(n=1204)
257	white	Num	8	YN21_.	<L3-L4 Surrogate> Non-Hispanic White vs. others

Sort Information

Sortedby	RDD_ID
Validated	YES